



**HOROZ**

**ELECTRIC**



**2017/1**

High Quality **High Performance**

[www.horozelektrik.com](http://www.horozelektrik.com)



[www.facebook.com/horozelectric](https://www.facebook.com/horozelectric)



[twitter.com/HorozElectric](https://twitter.com/HorozElectric)



[www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-gti-](https://www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-gti-)

**KaçmazGrup**

[www.horozelektrik.com](http://www.horozelektrik.com)



**HOROZ ELECTRIC**

**2017/1**  
CATALOGUE

# Contents

High Quality High Performance

ADHESIVE TAPE	149	LED PICTURE & MIRROR LAMP	82
<b>ALUMINIUM BULKHEAD LAMP</b>	<b>108</b>	<b>LED PROJECTOR</b>	<b>101</b>
BALLAST & TRANSFORMER	147	LED READING LAMP	82
<b>BATHROOM LAMP</b>	<b>82</b>	<b>LED SOLAR LAMP</b>	<b>126</b>
CABLE REEL	152	LED SPOT LIGHT	47
<b>CABLE TIE</b>	<b>149</b>	<b>LED STREET LIGHT</b>	<b>111</b>
CEILING LAMP	66	LED STRIP	132
<b>COMPACT CONNECTOR</b>	<b>151</b>	<b>LED SUSPENSION LIGHT</b>	<b>48</b>
CONNECTOR	149	LED TRACK LIGHT	41
<b>DECORATIVE CEILING LAMP</b>	<b>60</b>	<b>LED TUBE</b>	<b>2</b>
DESK LAMP	89	LED WALL LIGHT	62
<b>DOORBELL</b>	<b>143</b>	<b>LED WALLWASHER</b>	<b>107</b>
DOWNLIGHT	59	LED WATERPROOF LAMP	96
<b>DRYWALL KIT APPARATUS</b>	<b>149</b>	<b>LIGHT CONTROL PHOTOSENSOR</b>	<b>143</b>
ELECTRONIC WALL LAMP	93	LIGHTING TRACK	41
<b>EMERGENCY LED LANTERN</b>	<b>137</b>	<b>MAGNETIC WALL LAMP</b>	<b>96</b>
ENERGY SAVING LAMP	12	MERCURY LAMP	19
<b>FLOOR LAMP</b>	<b>87</b>	<b>METAL HALIDE LAMP</b>	<b>19</b>
FLOURESCENT LOUVER FITTING	95	METAL HALIDE PROJECTOR	101
<b>FLUORESCENT TUBE</b>	<b>15</b>	<b>NAIL CABLE CLIP</b>	<b>149</b>
GARDEN LAMP	113	PICTURE & MIRROR LAMP	82
<b>HALOGEN DOWNLIGHT</b>	<b>21</b>	<b>PROJECTOR STAND</b>	<b>101</b>
HALOGEN LAMP	15	RECESSED MONOPOINT	41
<b>HALOGEN PROJECTOR</b>	<b>101</b>	<b>RECHARGEABLE LAMP</b>	<b>137</b>
HIGH BAY LAMP	99	RECHERGEABLE LED SOLAR CAMPING LIGHT	137
<b>INCANDESCENT LAMP</b>	<b>17</b>	<b>REFLECTOR LAMP</b>	<b>17</b>
INGROUND & RECESSED TYPE LED LAMP	128	RG6	149
<b>LAMP HOLDER</b>	<b>148</b>	<b>RGB AMPLIFER</b>	<b>132</b>
LED ROPELIGHT	132	RGB CONTROLLER	132
<b>LED BATTEN LIGHT</b>	<b>93</b>	<b>SENSOR</b>	<b>143</b>
LED BULKHEAD LAMP	108	SOCKET	149
<b>LED CAPSULE</b>	<b>2</b>	<b>STARTER</b>	<b>149</b>
LED CEILING LAMP	66	STREET LIGHT	111
<b>LED DESK LAMP</b>	<b>89</b>	<b>TERMINAL BLOCK</b>	<b>151</b>
LED DOWNLIGHT	24	TIMER	143
<b>LED DRIVER</b>	<b>132</b>	<b>TRACK CONNECTOR</b>	<b>41</b>
LED FLOOR LAMP	87	UTP CAT5E	149
<b>LED GARDEN LAMP</b>	<b>113</b>	<b>UTP CAT6E</b>	<b>149</b>
LED HEADLIGHT	137	WALL LIGHT	62
<b>LED HIGH BAY LAMP</b>	<b>99</b>	<b>WATERPROOF LAMP</b>	<b>96</b>
LED LAMP	2	WATERPROOF LED DRIVER	132
<b>LED NIGHT LAMP</b>	<b>142</b>	<b>WIRE SPRING CONNECTOR</b>	<b>151</b>
LED PANEL	36	WIRELESS LIGHTING CONTROLLER SWITCH	143
<b>LED PENDANT LAMP</b>	<b>57</b>		



### PREMIER-5

001 006 0005

HL 4305L



- 500 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs



### PREMIER-8

001 006 0008

HL 4308L



- 850 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs



### PREMIER-10

001 006 0010

HL 4310L



- 1000 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs



### PREMIER-12

001 006 0012

HL 4312L



- 1050 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs



### PREMIER-15

001 006 0015



- 1400 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs




### EXPERT-10

001 021 0010



- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 900 lm
- 3000K / 4200K / 6400K



### INFINITY

001 018 0008



- 320-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 8W
- 600 L.m
- 3000K / 4200K / 6400K





**FONIX-4**

001 001 0004

GU5.3

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**FONIX-6**

001 001 0006

GU5.3

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**VISION-6**

001 022 0006

GU10

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**FONIX-8**

001 001 0008

GU5.3

- 630 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**PLUS-4**

001 002 0004

GU10

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**PLUS-6**

001 002 0006

GU10

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



**PLUS-8**

001 002 0008

GU10

- 630 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



LED LAMP / LED TUBE / LED CAPSULE

**ULTRA-4**

001 003 0004

HL 4360L

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ULTRA-6**

001 003 0006

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**CRAFT-4**

001 004 0004

HL 4370L

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**CRAFT-6**

001 004 0006

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-4**

001 005 0004

HL 4380L E14

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-4**

001 005 0004

HL 4380L E27

- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-6**

001 005 0006

E14

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-6**

001 005 0006

E27

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs





**TORCH-20**

001 016 0020

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1500 lm
- 3000K / 4200K / 6400K



**GLOBE-16**

001 019 0016


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1400 lm
- 3000K / 4200K / 6400K



**TORCH-30**

001 016 0030

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2500 lm
- 3000K / 4200K / 6400K



**GLOBE-20**

001 020 0020

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1650 lm
- 3000K / 4200K / 6400K



**TORCH-40**

001 016 0040

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000 lm
- 3000K / 4200K / 6400K



LED LAMP / LED TUBE / LED CAPSULE




### FILAMENT CANDLE-2

001 013 0002



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 160 lm
- 2700K/ 4200K




### FILAMENT CANDLE-4

001 013 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 320 lm
- 2700K/ 4200K



### FILAMENT FLAME-2

001 014 0002



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 160 lm
- 2700K/ 4200K




### FILAMENT FLAME-4

001 014 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 320 lm
- 2700K/ 4200K




### FILAMENT GLOBE-4

001 015 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 320 lm
- 2700K/ 4200K




### FILAMENT GLOBE-6

001 015 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 400 lm
- 2700K/ 4200K




### FILAMENT GLOBE-8

001 015 0008



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs.
- 500 lm
- 2700K/ 4200K



LED LAMP / LED TUBE / LED CAPSULE





**RUSTIC VINTAGE - 4**

001 029 0004

**NEW**

4W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
360 lm  
2700K

E27

64 mm  
146 mm

**RUSTIC VINTAGE - 6**

001 029 0006

**NEW**

6W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
540 lm  
2200K

E27

64 mm  
146 mm

**RUSTIC GLOBE - 4**

001 030 0004

**NEW**

4W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
360 lm  
2200K

E27

95 mm  
128 mm

**RUSTIC GLOBE - 6**

001 030 0006

**NEW**

6W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
540 lm  
2200K

E27

125 mm  
172 mm

**RUSTIC STAR - 6**

001 031 0006

**NEW**

6W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
540 lm  
2200K

E27

143 mm  
171 mm

**RUSTIC HEART - 6**

001 032 0006

**NEW**

6W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
540 lm  
2200K

E27

124 mm  
164 mm

**RUSTIC TUBE - 6**

001 033 0006

**NEW**

6W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
540 lm  
2200K

E27

30 mm  
155 mm

**RUSTIC TUBE - 8**

001 033 0008

**NEW**

8W FLAMENT LED

220-240V / 50-60Hz  
Average Life: 20.000 Hrs  
720 lm  
2200K

E27

30 mm  
235 mm



### RUSTIC DIAMOND - 4

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

001 034 0004

NEW

4W

FLAMENT LED



### RUSTIC DIAMOND - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 034 0006

NEW

6W

FLAMENT LED



### RUSTIC PYRAMID - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 035 0006

NEW

6W

FLAMENT LED



### RUSTIC MERIDIAN - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 037 0006

NEW

6W

FLAMENT LED



### RUSTIC CRYSTAL - 4

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

001 036 0004

NEW

4W

FLAMENT LED



### RUSTIC CRYSTAL - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 036 0006

NEW

6W

FLAMENT LED



### RUSTIC TWIST-4

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

001 038 0004

NEW

4W

FLAMENT LED



### RUSTIC TWIST-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 038 0006

NEW

6W

FLAMENT LED




**MINI**

001 009 0002

HL 454L

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

**MICRO-2**

001 010 0002

HL 455L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 90 lm
- 2700K / 6400K

**MICRO-3**

001 010 0003

HL 456L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 150 lm
- 2700K / 6400K

**MIDI**

001 012 0002

HL 459L

- 12V DC
- Average Life: 20.000 Hrs
- 110 lm
- 2700K / 6400K

**MEGA-3**

001 011 0003

HL 457L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 180 lm
- 2700K / 6400K

**MEGA-5**

001 011 0005

HL 458L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 230 lm
- 2700K / 6400K

**HL 443L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 250 Lm
- 4000K

**HL 444L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 4.8W
- 470 Lm
- 4000K

**GU10**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 3W
- 250 Lm
- 6400K

**GU10**


- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 5W
- 470 Lm
- 6400K



**DECO-3**

001 023 0003

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K

**NEW****TERA-2**

001 024 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

**NEW****PIKO-2**

001 007 0002

HL 450L


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K

**PIKO-3**

001 007 0003

HL 451L


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K

**NANO-2**

001 008 0002

HL 452L


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K

**NANO-3**

001 008 0003

HL 453L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K

**HL 448L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 1W
- 80 Lm
- 2700K/6400K

**HL 449L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 80 Lm
- 6400K





001 017 0001



**YELLOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 105 lm

**RED**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 34 lm

**GREEN**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 68 lm

**BLUE**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 12 lm



**RAINBOW**



001 017 0003



**YELLOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 315 lm

**RED**


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 102 lm

**GREEN**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 205 lm

**BLUE**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 38 lm



**SPECTRA**



002 001 0009


SMD LED TUBE 60cm

**LED TUBE-60**



**9W, 650 lm DAYLIGHT**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 650 lm
- 6400K



002 001 0018

SMD LED TUBE 120cm

**LED TUBE-120**



**18W, 1300 lm DAYLIGHT**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1300 lm
- 6400K



LED LAMP / LED TUBE / LED CAPSULE

**HOROZ ELECTRIC**

# Energy Saving Lamp

**FULL-9**

003 001 0009

HL 8809

**FULL SPIRAL T3****9W E14**

- 2700K - 420 lm
- 6400K - 500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-9**

003 001 0009

HL 8809

**FULL SPIRAL T3****9W E27**

- 2700K - 420 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HOROZ ELECTRIC**

# Energy Saving Lamp

**FULL-12**

003 001 0012

HL 8811

**FULL SPIRAL T3****12W E14**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-12**

003 001 0012

HL 8811

**FULL SPIRAL T3****12W E27**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815

**FULL SPIRAL T3****15W E14**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815

**FULL SPIRAL T3****15W E27**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-20**

003 001 0020

HL 8820

**FULL SPIRAL T3****20W E27**

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-26**

003 001 0026

HL 8825

**FULL SPIRAL T3****26W E27**

- 2700K - 1250 lm
- 6400K - 1240 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HALF-9**

003 002 0009

HL 8609

**HALF SPIRAL T3****9W E14**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HALF-9**

003 002 0009

HL 8609

**HALF SPIRAL T3****9W E27**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



ENERGY SAVING LAMP

**HALF-12**  
003 002 0012  
HL 8611






**HALF SPIRAL T3**  
**12W E14**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 125mm



**HALF-12**  
003 002 0012  
HL 8611






**HALF SPIRAL T3**  
**12W E27**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 125mm



**HALF-15**  
003 002 0015  
HL 8615






**HALF SPIRAL T3**  
**15W E27**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 135mm



**HALF-15**  
003 002 0015  
HL 8615






**HALF SPIRAL T3**  
**15W E14**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 135mm



**HALF-20**  
003 002 0020  
HL 8620






**HALF SPIRAL T3**  
**20W E27**

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 52mm  
(H) 134mm



**HALF-26**  
003 002 0026  
HL 8625






**HALF SPIRAL T3**  
**26W E27**

- 2700K - 1380 lm
- 6400K - 1370 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 52mm  
(H) 146mm



**THREE-U/15**  
003 003 0015  
HL 8315






**3U T3**  
**15W E27**

- 2700K - 760 lm
- 6400K - 740 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 140mm



**THREE-U/18**  
003 003 0018  
HL 8320






**3U T3**  
**18W E27**

- 2700K - 910 lm
- 6400K - 890 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 40mm  
(H) 150mm



**THREE-U/23**  
003 003 0023  
HL 8325






**3U T3**  
**23W E27**

- 2700K - 1090 lm
- 6400K - 1090 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 52mm  
(H) 150mm



**FULL-35**  
003 001 0035  
HL 8835






**FULL SPIRAL T4**  
**35W E27**

- 6400K - 1350 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

(Ø) 52mm  
(H) 174mm



## FULL-45

003 001 0045

HL 8845



### FULL SPIRAL T4

45W E27

- 6400K - 1750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## FULL-65

003 001 0065


HL 8865



### FULL SPIRAL T5

65W E27

- 6400K - 2500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## FULL-85

003 001 0085

HL 8885



### FULL SPIRAL T5

85W E27

- 6400K - 3500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## FULL-105

003 001 0105

HL 88105



### FULL SPIRAL T6

105W E27

- 6400K - 4400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




## HL 8105



### CANDLE

5W E14

- 6400K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## HL 8111



### R63

11W E27

- 6400K - 192 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




## HL 8809



### Nano T2.2 FL SPRL

9W GU10

- 6400K - 390 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs






## HL 8720



### ESL

20W R75

- 6400K - 1200 lm
- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



### PL

11W (520 lm)

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 2700K / 6400K





**HOROZ ELECTRIC**

# Fluorescent Tube / Halogen Lamp

**HOROZ ELECTRIC**

## Fluorescent Tube




### TUBE-5

004	001	0006	6W, 280-310 lm
004	001	0008	8W, 400-430 lm
004	001	0013	13W, 1045-1140 lm
004	001	0021	21W, 1660-1850 lm
004	001	0028	28W, 2350-2470 lm

**T5 DAYLIGHT**

Average Life: 8.000 Hrs





### TUBE-8

004	003	0010	10W, 280-310 lm
004	003	0015	15W, 560-630 lm
004	003	0018	18W, 960-1150 lm
004	003	0030	30W, 1720-2100 lm
004	003	0036	36W, 2400-2760 lm
004	003	0058	58W, 4080-5000 lm

**T8 DAYLIGHT**

Average Life: 8.000 Hrs

**HOROZ ELECTRIC**

## Halogen Lamp



### GU 10

**35W, 200 lm****50W, 340 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



### MR16 CLOSED

**20W CLOSED, 200 lm****50W CLOSED, 600 lm**

- 12V
- Average Life: 2.000 Hrs



### JCDR CLOSED

**35W CLOSED, 320 lm****50W CLOSED, 550 lm**


- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



### JCDR OPEN


**35W OPEN, 350 lm****50W OPEN, 650 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



**JC G6.35****50W, 900 lm**

- 12V
- Average Life: 2,000 Hrs



G6.35

**JCG4****20W, 250 lm****35W, 550 lm**

- 12V
- Average Life: 2,000 Hrs



G4

**G9 FROST****25W, 220 lm****40W, 500 lm**

- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



G9

**G9 CLEAR****25W, 270 lm****40W, 420 lm**

- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



G9

**G9 WHITE****25W, 100 lm****40W, 220 lm**

- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



G9

**JC G4 WHITE****20W, 120 lm**

- 12V
- Average Life: 2,000 Hrs



G4

**HALOGEN LAMP****78mm****100W, 900 lm****150W, 1600 lm**

- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



R7S



10 (78mm)

**HALOGEN LAMP****118mm****200W, 1800 lm****300W, 4000 lm****500W, 7500 lm**

- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



R7S



13 (118mm)

**HALOGEN LAMP****189mm****1000W, 18000 lm**


- 220-240V / 50-60Hz
- Average Life: 2,000 Hrs



R7S



13 (189mm)





### FLAME CLEAR-40

006 001 0040 40W

### FLAME CLEAR-60

006 001 0060 60W

HL 420



#### CANDLE BULB

##### WITH TAIL

40W, 280 lm

60W, 480 lm

##### CLEAR

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### FLAME FROSTED-40

006 002 0040 40W

### FLAME FROSTED-60

006 002 0060 60W

HL 421



#### CANDLE BULB

##### WITH TAIL

40W, 240 lm

60W, 400 lm

##### FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



## Incandescent Lamp Reflector Lamp




### CANDLE CLEAR-40

006 003 0040 40W

### CANDLE CLEAR-60

006 003 0060 60W

HL 423



#### CANDLE BULB

40W, 280 lm

60W, 480 lm

##### CLEAR

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### CANDLE FROSTED-40

006 004 0040 40W

### CANDLE FROSTED-60

006 004 0060 60W

HL 424



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

##### FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### CANDLE SOFT-40

006 005 0040 40W

### CANDLE SOFT-60

006 005 0060 60W

HL 425



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

##### SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### SCREW FROSTED-40

006 006 0040 40W

### SCREW FROSTED-60

006 006 0060 60W

HL 426



#### SCREW CANDLE BULB

40W, 240 lm

60W, 400 lm

##### FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### SCREW CLEAR-40

006 007 0040 40W

### SCREW CLEAR-60

006 007 0060 60W

HL 427



#### SCREW CANDLE BULB

40W, 280 lm

60W, 480 lm

##### CLEAR

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

### CANDLE FROSTED-40

006 008 0040 40W

### CANDLE FROSTED-60

006 008 0060 60W

HL 428



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

##### FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs


### CANDLE SOFT-40

006 009 0040 40W

### CANDLE SOFT-60

006 009 0060 60W

HL 429



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

##### SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



**GLOBE SOFT-40**

006 010 0040 40W

**GLOBE SOFT-60**

006 010 0060 60W

**HL 430**

**GLOBE BULB**

40W, 240 lm  
60W, 400 lm  
SOFT

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E14

75 mm

**GLOBE FROSTED-40**

006 011 0040 40W

**GLOBE FROSTED-60**

006 011 0060 60W

**HL 431**

**GLOBE BULB**

40W, 240 lm  
60W, 400 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E14

75 mm

**GLOBE SOFT-40**

006 012 0040 40W

**GLOBE SOFT-60**

006 012 0060 60W

**HL 432**

**GLOBE BULB**

40W, 240 lm  
60W, 400 lm  
SOFT

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

75 mm

**GLOBE FROSTED-40**

006 013 0040 40W

**GLOBE FROSTED-60**

006 013 0060 60W

**HL 433**

**GLOBE BULB**

40W, 240 lm  
60W, 400 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

75 mm

**MUSHROOM FROSTED**

006 014 0060 60W

**HL 434**

**MUSHROOM BULB**

60W, 400 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

80 mm  
45 mm

**MUSHROOM SOFT**

006 015 0060 60W

**HL 435**

**MUSHROOM BULB**

60W, 400 lm  
SOFT

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

80 mm  
45 mm

**R39**

007 001 0030 30W

**R39**

**R50-40**

007 002 0040 40W

**R50-60**

007 002 0060 60W

**R50**

**R50-40**

40W, 280 lm  
60W, 460 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E14

50 mm  
30 mm

**R50-60**

007 002 0060 60W

**R50**

**R50-60**

60W, 380 lm  
75W, 580 lm  
100W, 900 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E14

50 mm  
82 mm

**R63-60**

007 003 0060 60W

**R63**

**R80-60**

007 004 0060 60W

**R80-75**

007 004 0075 75W

**R80-100**

007 004 0100 100W R80

**R63-60**

60W, 400 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

95 mm

**R80-60**

007 004 0060 60W

**R80-75**

007 004 0075 75W

**R80-100**

007 004 0100 100W R80

**R80-60**

60W, 380 lm  
75W, 580 lm  
100W, 900 lm  
FROSTED

220-240V / 50-60Hz  
Average Life: 1000 Hrs

E27

105 mm



**KRIPTON-125**

008 001 0125

HL 400



**HIGH PRESSURE**

**MERCURY LAMP**

- 125W
- 4990 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



125W



**PLANET-125**

008 002 0125

HL 401



**HIGH PRESSURE**

**MERCURY LAMP**

- 125W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



125W



**Mercury Lamp  
Metal Halide Lamp**



**PLANET-160**

008 002 0160

HL 402



**HIGH PRESSURE**

**MERCURY LAMP**

- 160W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



160W



**KRIPTON-250**

008 001 0250

HL 403



**HIGH PRESSURE**

**MERCURY LAMP**

- 250W
- 11025 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



250W



**PLANET-250**

008 002 0250

HL 404



**HIGH PRESSURE**

**MERCURY LAMP**

- 250W
- 4900 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



250W



**KRIPTON-400**

008 001 0400

HL 405



**HIGH PRESSURE**

**MERCURY LAMP**

- 400W
- 21000 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



400W



**MERKÜR**

009 001 0150

HL 406

**METAL HALIDE LAMP**

- 150W
- 11000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**NEXUS-150**

009 002 0150

HL 407

**METAL HALIDE LAMP**

- 150W
- 16000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**NEXUS-250**

009 002 0250

HL 408

**METAL HALIDE LAMP**

- 250W
- 21000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**NEXUS-400**

009 002 0400

HL 409

**METAL HALIDE LAMP**

- 400W
- WHITE, 35.000-38.000Lm
- BLUE, 8.000-10.000Lm
- GREEN, 28.000-31.000Lm
- RED, 20.000-23.000Lm
- 220-240V / 50-60Hz
- Average Life: 10.000 Hrs

**URANUS-70**

009 003 0070

HL 410

**METAL HALIDE LAMP**

- 70W
- 5500 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs


**URANUS-150**

009 003 0150

HL 411

**METAL HALIDE LAMP**

- 150W
- 17000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



**Halogen Downlight****PAPATYA**

015 016 0050

HL 759



CHROME	ANTIQU RED COPPER
MAT CHROME	TITANIUM BLACK/GOLDEN
GOLDEN	PEARL SILVER/GOLDEN
ANTIQU GREEN	



220-240V / 50-60Hz  
Max. 50W

**BEGONYA**

015 012 0050

HL 779



CHROME	ANTIQU RED COPPER
MAT CHROME	TITANIUM BLACK/GOLDEN
GOLDEN	PEARL SILVER/GOLDEN
ANTIQU GREEN	



220-240V / 50-60Hz  
Max. 50W

**LEYLAK**

015 013 0050


HL 797



CHROME	ANTIQU RED COPPER
MAT CHROME	TITANIUM BLACK/GOLDEN
GOLDEN	PEARL SILVER/GOLDEN
ANTIQU GREEN	



220-240V / 50-60Hz  
Max. 50W

**ZAMBAK**

015 014 0050

HL 798



CHROME	ANTIQU RED COPPER
MAT CHROME	TITANIUM BLACK/GOLDEN
GOLDEN	PEARL SILVER/GOLDEN
ANTIQU GREEN	



220-240V / 50-60Hz  
Max. 50W

**YONCA**

015 015 0050

HL 799



CHROME	ANTIQU RED COPPER
MAT CHROME	TITANIUM BLACK/GOLDEN
GOLDEN	PEARL SILVER/GOLDEN
ANTIQU GREEN	



220-240V / 50-60Hz  
Max. 50W



**ORKİDE**


015 007 0050

HL 750

CHROME GOLDEN  
MAT CHROME WHITE

MR16

E14/E23

220-240V / 50-60Hz  
Max. 50W**MENEKŞE**

015 008 0050

HL 752

CHROME RED COPPER  
MAT CHROME PEARL CHROME  
GOLDEN WHITE

MR16

E14/E23

220-240V / 50-60Hz  
Max. 50W**AÇELYA**


015 009 0050

HL 753

CHROME GOLDEN  
MAT CHROME WHITE220-240V / 50-60Hz  
Max. 50W

MR16

E14/E23

220-240V / 50-60Hz  
Max. 50W**ORTANCA**


015 010 0050

HL 755

CHROME GOLDEN  
MAT CHROME220-240V / 50-60Hz  
Max. 50W

MR16

E14/E23

220-240V / 50-60Hz  
Max. 50W**LALE**

015 011 0050

HL 756

CHROME  
MAT CHROME220-240V / 50-60Hz  
Max. 50W

MR16

E14/E23





**NİLÜFER**

015 001 0020



HL 800



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**NERGİS**

015 002 0020



HL 801



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**GONCA**

015 003 0020



HL 802



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**FULYA**

015 004 0020


HL 803



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**LİLYUM**

015 006 0020


HL 805



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**YASEMİN**

015 005 0020


HL 804



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W



**HOROZ ELECTRIC****LED Downlight**

**SILVIA**

016 039 0001

**WHITE**  
**MAT CHROME**

- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs

**1W POWER LED** **NEW**

**LAURA**

016 038 0001

**WHITE**  
**MAT CHROME**

- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs

**1W POWER LED** **NEW**

**HOROZ ELECTRIC****LED Downlight**

LED DOWNLIGHT

**BIANCA**

016 036 0003

**WHITE**  
**MAT CHROME**

- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs

**3W COB LED** **NEW**

**MONICA**

016 003 0001

**CHROME**  
**MAT CHROME**

HL 665L

- 220-240V / 50-60Hz
- 4200K
- 1W, 80 lm
- Average Life: 30.000 Hrs

**1W POWER LED**

**NADIA**

016 027 0001

**MAT CHROME**

HL 661L

- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

**1W POWER LED**

**MIRANDA**

016 004 0003

**CHROME**  
**MAT CHROME**

HL 666L

- 220-240V / 50-60Hz
- 4200K
- 1x3W, 260 lm
- Average Life: 30.000 Hrs

**3W POWER LED**



**RITA**

016 037 0003

**WHITE**

- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs

**NEW**

**3W COB LED**

016 001 0001

**NATALIA**

**HL 815L**

**MAT CHROME**

- 220-240V / 50-60Hz
- 1W
- Average Life: 30.000 Hrs

○ WHITE, 6400K, 60 lm  
 ● RED, 45 lm  
 ● GREEN, 55 lm  
 ● BLUE, 45 lm

**1W POWER LED**

**LISA**

016 031 0003

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K

**3W COB LED**

**JULIA**

016 032 0003

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K

**3W COB LED**

**FIONA**

016 028 0001

**MAT CHROME**

**CHROME**

- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs

**1W POWER LED**

016 002 0002

**ANGELA**

**HL 761L**

**MAT CHROME**

- 220-240V / 50-60Hz
- 2W / 100 lm
- 4200K
- Average Life: 30.000 Hrs

**2W SMD LED**

**SARA**

016 005 0003

**HL 6731L**

**MAT CHROME**

**WHITE**

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs

**3W COB LED**

**DIANA**

016 006 0003

**HL 6741L**

**MAT CHROME**

**WHITE**

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs

**3W COB LED**

LED DOWNLIGHT

**VALERIA-5**

016 040 0005

**NEW**

**WHITE**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5W, 400 lm
- 4200K

5W SMD LED

**GABRIEL**

016 029 0006

**WHITE**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K

6W COB LED

IP65

**VALERIA-7**

016 040 0007

**NEW**

**WHITE**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 7W, 560 lm
- 4200K

7W SMD LED

**JESSICA**

016 030 0006

**WHITE**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K

6W COB LED

IP65

**VALERIA-9**

016 040 0009

**NEW**

**WHITE**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 9W, 720 lm
- 4200K

9W SMD LED

**JESSICA**

016 030 0006

**WHITE**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K

6W COB LED

IP65



### VICTORIA-3

016 007 0003

HL 678L



MAT CHROME

WHITE

- 3W 208 lm / 230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



Min 8

90 mm

50 mm



### VICTORIA-5

016 007 0005

HL 679L



MAT CHROME

WHITE

- 5W 217 lm / 354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



Min 8

90 mm

60 mm



### MELISA-3

016 008 0003

HL 698L



MAT CHROME

WHITE

- 3W 208 lm / 230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



Min 8

90 mm

60 mm



### MELISA-5

016 008 0005


HL 699L



MAT CHROME

WHITE

- 5W 217 lm / 354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



Min 8

90 mm

60 mm



### LILYA-3

016 009 0003

HL 698LE



MAT CHROME

WHITE

- 3W 222 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs



Min 8

83 mm

40 mm



### LILYA-5

016 009 0005

HL 699LE



MAT CHROME

WHITE

- 5W 335 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs



Min 8

83 mm

40 mm



### SONIA-5

016 035 0005

NEW



WHITE

- 100-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 5W 350 lm
- 6400K



Min 8

Ø72

54 mm





### ELENA-1


016 010 0001

HL 670L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### VERA-1


016 011 0001

HL 671L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### ELENA-3


016 010 0003

HL 672L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### VERA-3


016 011 0003

HL 673L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### ELENA-6


016 010 0006

HL 674L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### VERA-6


016 011 0006

HL 675L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### VERA-12


016 011 0012

HL 676L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 12W, 450 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



### VERA-18


016 011 0018

HL 677L



#### MAT CHROME

- AC 220-240V / 50-60Hz
- 18W, 720 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs





### MARIA-6



016 015 0006

HL 684LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



### CLARA-6


016 016 0006

HL 687LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



### MARIA-12


016 015 0012

HL 685LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



### CLARA-12

016 016 0012

HL 688LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



### MARIA-15


016 015 0015

HL 686LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



### CLARA-15


016 016 0015

HL 689LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs






### AMANDA-6

016 017 0006


HL 6754L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



### AMANDA-10

016 017 0010


HL 6755L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 10W, 550 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0015

### AMANDA-15


HL 6756L



WHITE

MAT CHROME


- AC 220-240V / 50-60Hz
- 15W, 650 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0025

### AMANDA-25

HL 6758L



WHITE

MAT CHROME


- AC 220-240V / 50-60Hz
- 25W, 1312 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 024 0032

### JASMIN

HL 637L



WHITE

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4x8W, 2.400 lm
- 6400K



### HL 667L

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x7W, 76Lm
- Red+Green+Blue+Yellow



### HL 669L

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x7W, 76Lm
- Red+Green+Blue+Yellow







016 019 0008


### HELEN-8

HL 695L 3 INCH

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 8W, 354 lm
- 4200K




016 020 0008

### GALINA-8

HL 692L

WHITE

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 8W, 444 lm
- 6500K



016 019 0010

### HELEN-10

HL 696L 4 INCH

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 10W, 742 lm
- 4200K




016 020 0010

### GALINA-10

HL 693L

WHITE

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 10W, 570 lm
- 6500K



016 019 0020


### HELEN-20

HL 697L 6 INCH

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 20W, 1315 lm
- 4200K



016 020 0020

### GALINA-20

HL 694L

WHITE

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 20W, 1166 lm
- 6500K



016 019 0030


### HELEN-30

HL 6978L 8 INCH

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 30W, 1880 lm
- 4200K




016 018 0030

### LILY

HL 691L

WHITE

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 30W, 1447 lm
- 6500K



LED DOWNLIGHT




016 021 0005

## ADRIANA-5

WHITE

HL 6701L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 368 lm
- 2700K / 6400K





016 022 0010

## VERONICA-10

WHITE

HL 6711L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 539 lm
- 2700K / 6400K




016 021 0010

## ADRIANA-10

WHITE

HL 6702L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x5W
- 2x368 lm
- 2700K / 6400K




016 022 0020

## VERONICA-20

WHITE

HL 6712L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x10W
- 2x539 lm
- 2700K / 6400K



016 021 0015

## ADRIANA-15

WHITE

HL 6703L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x5W
- 3x368 lm
- 2700K / 6400K




016 022 0030

## VERONICA-30

WHITE

HL 6713L



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x10W
- 3x539 lm
- 2700K / 6400K



016 023 0008

**SABRINA-8**

HL 6721L



**WHITE**



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 371lm
- 2700K / 6400K



016 023 0016

**SABRINA-16**

HL 6722L



**WHITE**



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x8W
- 2x371lm
- 2700K / 6400K



016 023 0024

**SABRINA-24**

HL 6723L



**WHITE**



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x8W
- 3x371lm
- 2700K / 6400K



**SABRINA-32**

016 023 0032

HL 6724L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4x8W
- 4x371lm
- 2700K / 6400K





016 025 0012 **CAROLINE-12** **WHITE**

HL 640L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6400K








016 026 0012 **ARINA-12** **WHITE**

HL 641L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6400K








016 025 0018 **CAROLINE-18** **WHITE**

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K








016 026 0018 **ARINA-18** **WHITE**

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K








016 025 0028 **CAROLINE-28** **WHITE**

HL 642L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6400K








016 026 0028 **ARINA-28** **WHITE**

HL 643L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6400K








016 025 0032 **CAROLINE-32** **WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6400K








016 026 0032 **ARINA-32** **WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6400K










016 025 0040

**CAROLINE-40****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W 2800 lm
- 3000K / 4200K / 6400K

500 mm  
40 mm

016 026 0040

**ARINA-40****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W 2800 lm
- 3000K / 4200K / 6400K

500 mm  
40 mm

016 025 0048

**CAROLINE-48****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W 3360 lm
- 3000K / 4200K / 6400K

600 mm  
40 mm

016 026 0048

**ARINA-48****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W 3360 lm
- 3000K / 4200K / 6400K

600 mm  
40 mm


016 034 0024

**LINDA-24****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 24W 1680 lm
- 3000K / 4200K / 6400K

600 mm  
40 mm

300 mm




016 034 0036

**LINDA-36****WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 36W 2520 lm
- 3000K / 4200K / 6400K

1200 mm  
40 mm

300 mm





LED Panel



056 001 0045



**STAR-45**

SILVER

- 220-240V / 50-60Hz
- 45W, 3750 lm
- 3000K / 4200K / 6400K
- Average Life: 40.000 Hrs



NEW




**GALAKSi-40**

NEW

SILVER

056 002 0040

- 220-240V / 50-60Hz
- 40W, 2600 lm
- 3000K / 4200K / 6400K
- Average Life: 25.000 Hrs




**TURKUAZ**

WHITE

056 004 0032

- 220-240V / 50-60Hz
- 32W, 2500 lm / 2700 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



LED PANEL





056 003 0003

### SLIM-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0006

### SLIM-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0009

### SLIM-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0012

### SLIM-12

WHITE


- 220-240V / 50-60Hz
- 12W
- 660 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs





**SLIM-15**

056 003 0015



**WHITE**


- 220-240V / 50-60Hz
- 15W
- 900 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



**SLIM-18**

056 003 0018

HL 978L



**WHITE**


- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



**SLIM-24**

056 003 0024

HL 979L



**WHITE**

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs








056 005 0003

**SLIM / Sq-3**

**WHITE**

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





056 005 0006

**SLIM / Sq-6**

**WHITE**

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





056 005 0009

**SLIM / Sq-9**

**WHITE**

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




056 005 0012

**SLIM / Sq-12**

**WHITE**

- 220-240V / 50-60Hz
- 12W
- 660 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




**SLIM/ Sq-15**

056 005 0015



**WHITE**

- 220-240V / 50-60Hz
- 15W
- 900 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




**SLIM/ Sq-18**

056 005 0018



**WHITE**

- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




**SLIM / Sq-24**

056 005 0024



**WHITE**

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





LED Track Light  
Lighting Track  
Track Connector  
Recessed Monopoint



ROMA

018 002 0023

HL 822L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1315 lm
- 4200K



ZURIH-23

018 001 0023

HL 821L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1511 lm
- 4200K



ZURIH-40

018 001 0040

HL 834L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2643 lm
- 4200K




**PRAG-7**

018 003 0007

HL 823L

**3 INCH****WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 7W
- 405 lm
- 4200K


**PRAG-12**

018 003 0012

HL 824L

**4.2 INCH****WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 12W
- 852 lm
- 4200K


**TORINO-23**

018 004 0023

HL 826L

**3 INCH****WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1560 lm
- 4200K


**TORINO-40**

018 004 0040

HL 827L

**3 INCH****WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2337 lm
- 4200K



**MADRID-23**

018 005 0023

HL 828L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1779 lm
- 4200K



**MADRID-40**

018 005 0040

HL 829L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2988 lm
- 4200K





LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT



**PARIS-23**

018 007 0023

HL 832L

**2 INCH**

**WHITE**

**BLACK**

**SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1950 lm
- 4200K

**23W COB LED**

**PARIS-33**

018 007 0033

HL 833L

**3 INCH**

**WHITE**

**BLACK**

**SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2256 lm
- 4200K

**33W COB LED**





**MILANO-5**

018 008 0005

HL 835L


1.5 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 5W
- 334 lm
- 4200K



**MILANO-8**

018 008 0008

HL 836L


1.7 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 8W
- 600 lm
- 4200K



**MILANO-13**

018 008 0013

HL 837L


2.3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 13W
- 987 lm
- 4200K



**ZAGREB**

018 009 0035

3 INCH

WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 30,000 Hrs
- 35W
- 2078 lm
- 4200K



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

**TRACK CONNECTOR**

Straight Connector


**096 001 0001**


- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

L Corner Connector


**096 002 0002**
**WHITE**
**BLACK**
**SILVER**
**RECESSED MONOPOINT**
**098 001 0001**

**WHITE**
**BLACK**
**SILVER**

- 220-240V / 50-60Hz
- Max. 16A 150 mm




9 125


**LIGHTING TRACK**

**1m, 2m, 3m**
**WHITE**
**BLACK**
**SILVER**

- 220-240V / 50-60Hz
- Max. 16A


**1m. 097 001 0001**
**2m. 097 001 0002**
**3m. 097 001 0003**






LED Spotlight



**BEYRUT**


017 001 0005

**NEW**

**WHITE**

**BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 hrs
- 5W
- 320 lm
- 4200K



**TOKYO**


017 002 0008

**NEW**

**WHITE**

**BLACK**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 500 lm
- 4200K





**HOROZ ELECTRIC**

**LED Suspension Light**

**DELUXE-35**

019 012 0035

**NEW**



- BLACK
- WHITE
- RED
- BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K



LED SUSPENSION LIGHT



**HOROZ ELECTRIC**

**LED Suspension Light**



**DELUXE-70**

019 012 0070

**NEW**



- BLACK
- WHITE
- RED
- BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 70W
- 3900 lm
- 4000K





**COSTA-35**

019 015 0035


**NEW**



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs.
- 35W
- 2000 lm
- 4000K



**MATRIX-35**

019 013 0035


**NEW**



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs.
- 35W
- 2000 lm
- 4000K





**ROYAL-18**

019 001 0018

HL 860L

**ROYAL-24**

019 001 0024

HL 861L

**ROYAL-33**

019 001 0033

HL 862L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 18W / 24W / 33W
- 1260 lm / 1680 lm / 2310 lm
- 4000K



LED SUSPENSION LIGHT

**CLASIS-21**

019 002 0021

HL 863L

**CLASIS-31**

019 002 0031

HL 864L



**CLASIS-42**

019 002 0042

HL 865L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 21W / 31W / 42W
- 1470 lm / 2170 lm / 2940 lm
- 4000K





**MASTER-42**

019 003 0042

HL 867L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 42W
- 2940 lm
- 4000K



**MASTER-75**

019 003 0075

HL 866L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 75W
- 5250 lm
- 4000K



**EXCLUSIVE-24**

019 004 0024

HL 868L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




**EXCLUSIVE-40**

019 004 0040

HL 869L

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K






**AVANGARD-24**

019 005 0024

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




**AVANGARD-40**

019 005 0040

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K




**ELEGANCE-24**

019 006 0024

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K





**ELEGANCE-40**

019 006 0040

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K



**CONCEPT-35**

019 010 0035



- ROSE
- CHROME
- WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 1000 lm
- 4000K



LED SUSPENSION LIGHT


**CONCEPT-41**

019 010 0041



- ROSE
- CHROME
- WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 41W
- 1500 lm
- 4000K





**TREND-50**


019 009 0050



**BLACK**


**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



**TREND-85**


019 009 0085



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K



LED SUSPENSION LIGHT





**ASFOR-50**

019 011 0050



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



**ASFOR-85**


019 011 0085



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K





**VISTA**


019 007 0024

**WHITE**

**BLACK**

**RED**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1500 lm
- 4000K



**FAVORI**



019 008 0062

**CHROME**

**COPPER**

**BROWN**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 62W
- 2500 lm
- 4000K



**HOROZ ELECTRIC****LED Pendant Lamp****ASTRA-10**

020 001 0010

HL 870L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 507 lm
- 6400K

**AVENSIS-10**

020 002 0010

HL 873L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 492 lm
- 6400K

**HOROZ ELECTRIC****LED Pendant Lamp****ASTRA-15**

020 001 0015

HL 871L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 857 lm
- 6400K

**AVENSIS-15**

020 002 0015

HL 874L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1520 lm
- 6400K

**ASTRA-20**

020 001 0020

HL 872L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1712 lm
- 6400K

**AVENSIS-20**

020 002 0020

HL 875L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1600 lm
- 6400K



LED PENDANT LAMP



### SEMBOL

020 006 0012



BLACK

WHITE


RED

GREEN

YELLOW

BLUE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 850 lm
- 4000K



### ALYA

020 005 0015



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



### MİRA

020 004 0015



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



### PRIZMA

020 007 0006



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 100-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6W
- 350 lm
- 4000K



### NOVA

020 003 0006

HL 876L



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W
- 300 lm
- 4200K





**HOROZ ELECTRIC**

# Downlight

025 001 0040 2,5"

**HL 600****CHROME****MAT CHROME****WHITE**


- 220-240V / 50-60Hz
- Max. 40W



025 002 0060 3"

**HL 602****CHROME****MAT CHROME****WHITE**

- 220-240V / 50-60Hz
- Max. 60W

**HOROZ ELECTRIC**


# Downlight



025 003 0060 4"

**HL 604****CHROME****MAT CHROME****WHITE**


- 220-240V / 50-60Hz
- Max. 60W



025 004 0075 5"

**HL 606****CHROME****MAT CHROME****WHITE**



- 220-240V / 50-60Hz
- Max. 75W



025 005 0040 6"

**HL 611****CHROME****MAT CHROME****WHITE**


- 220-240V / 50-60Hz
- Max. 2x20W ESL



025 005 0052 8"

**HL 612****CHROME****MAT CHROME****WHITE**


- 220-240V / 50-60Hz
- Max. 2x25W ESL



025 006 0040 6"

**HL 614****CHROME****MAT CHROME****WHITE**


- 220-240V / 50-60Hz
- Max. 2x20W ESL



025 006 0050 8"

**HL 616****CHROME****MAT CHROME****WHITE**

- 220-240V / 50-60Hz
- Max. 2x25W ESL



DOWNLIGHT

**ILGAZ-1**

026 001 0001

HL 634S

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**ILGAZ-2**

026 001 0002

HL 634M

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**ILGAZ-3**

026 001 0003

HL 634B

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL

**ILGAZ-4**

026 001 0004

HL 634W

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-1**

026 002 0001

HL 635S

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-2**

026 002 0002

HL 635M

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-3**

026 002 0003

HL 635B

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL

**KONAK-4**

026 002 0004

HL 635W

**CHROME + MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## ZARA-1

026 003 0001

HL 636S



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## SARAY-1

026 005 0001

HL 643



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL



## ZARA-2

026 003 0002

HL 636M



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



## SARAY-2

026 005 0002

HL 644



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## SARAY-3

026 005 0003


HL 645



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



## ZARA-3

026 003 0003

HL 636B



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 3x60W
- Max. 3x12W ESL



## LICE-1

026 004 0001

HL 641



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## ZARA-4

026 003 0004


HL 636W



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## LICE-2

026 004 0002

HL 642



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL





**HOROZ ELECTRIC**

Wall Light / LED Wall Light

**ERDEK**


029 001 0005

HL 855L

WHITE

RED

- 220-240V / 50-60Hz
- 5W, 325 lm
- 4000K
- Average Life: 30.000 Hrs



**MENGEN**

028 001 0001


HL 850

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Max. 40W




**AVANOS**

029 002 0008

HL 857L

CHROME

- 220-240V / 50-60Hz
- 8W, 100 lm
- 4200K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Wall Light  
LED Wall Light



WALL LIGHT / LED WALL LIGHT








**SİSAM**

029 006 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 320 lm
- 4200K
- Average Life: 30.000 Hrs



NEW




**TRUVA**

029 007 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 520 lm
- 4200K
- Average Life: 30.000 Hrs



NEW




**ABANT**

029 005 0010

WHITE

- 85-265V / 50-60Hz
- 10W
- 825 lm
- 4200K
- Average Life: 30.000 Hrs



NEW






**RODOS-3**

029 004 0003



**WHITE**

- 85-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hr




**RODOS-6**

029 004 0006



**WHITE**

- 85-265V / 50-60Hz
- 6W
- 240 lm
- 4000K
- Average Life: 30.000 Hrs




**RODOS-12**

029 004 0012



**WHITE**

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs





**BELEN-6**

029 003 0006

**WHITE**

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs




**BELEN-12**

029 003 0012

**WHITE**

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs




**BELEN-18**

029 003 0018

**WHITE**

- 85-265V / 50-60Hz
- 18W
- 1400 lm
- 4000K
- Average Life: 30.000 Hrs





**HOROZ ELECTRIC**


# Ceiling Lamp / LED Ceiling Lamp

035 001 0002  
HL 7151

**MANYAS-2**

**CHROME**

- 220-240V / 50-60Hz
- Max. 40W




Bulb Included

035 001 0003  
HL 7152

**MANYAS-3**

**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




Bulb Included

035 001 0004  
HL 7153

**MANYAS-4**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included



**HOROZ ELECTRIC**

## Ceiling Lamp LED Ceiling Lamp



035 001 0001  
HL 7150

**MANYAS-1**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included

035 001 0006  
HL 7158

**MANYAS-6**

**CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W




Bulb Included

035 001 0005  
HL 7154

**MANYAS-5**

**CHROME**


- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included

**035 002 0002****HL 7171****BERGAMA-2****CHROME**


- 220-240V / 50-60Hz
- 9W ESL
- Max. 40W



Bulb Included

**035 002 0003****HL 7172****BERGAMA-3****CHROME**



- 220-240V / 50-60Hz
- 2x9W ESL
- Max. 2x40W



Bulb Included

**035 002 0004****HL 7173****BERGAMA-4****CHROME**


- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W



Bulb Included

**035 002 0001****HL 7170****BERGAMA-1****CHROME**


- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W



Bulb Included

**035 002 0005****HL 7174****BERGAMA-5****CHROME**

- 220-240V / 50-60Hz
- 4x9W ESL
- Max. 4x40W



Bulb Included



035 003 0001  
HL 790N

**MANAVGAT-1**

CHROME

- 220-240V / 50-60Hz
- 9W ESL



120 mm



035 003 0002  
HL 791N

**MANAVGAT-2**

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL



300 mm  
120 mm



035 003 0003  
HL 792N


**MANAVGAT-3**

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL



505 mm  
120 mm



035 003 0005  
HL 794N

**MANAVGAT-5**

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL



170 mm



035 003 0004  
HL 793N

**MANAVGAT-4**

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL



645 mm  
120 mm



CEILING LAMP / LED CEILING LAMP




035 004 0001

**BODRUM-1**

**MAT CHROME**

HL 785N

- 220-240V / 50-60Hz
- 9W ESL




035 004 0002

**BODRUM-2**

**MAT CHROME**

HL 786N

- 220-240V / 50-60Hz
- 2x9W ESL




035 004 0003

**BODRUM-3**

**MAT CHROME**

HL 787N

- 220-240V / 50-60Hz
- 3x9W ESL



CEILING LAMP / LED CEILING LAMP


035 004 0004

**BODRUM-4**

**MAT CHROME**

HL 788N

- 220-240V / 50-60Hz
- 4x9W ESL






035 005 0001  
HL 715

**KEMER-1**

**CHROME**

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL




Bulb Included

035 005 0002  
HL 716

**KEMER-2**

**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W
- Max. 2x9W ESL




Bulb Included

035 005 0003  
HL 717

**KEMER-3**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb Included

035 005 0005  
HL 719

**KEMER-5**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb Included

035 005 0004  
HL 718

**KEMER-4**

**CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W
- Max. 4x9W ESL



Bulb Included






035 006 0001

HL 711

**EFES-1**

CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb included


035 006 0002

HL 712

**EFES-2**

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included


035 006 0003

HL 713

**EFES-3**

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included




035 006 0004

HL 714

**EFES-4**

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included



CEILING LAMP / LED CEILING LAMP






035 007 0001  
HL 743

**RİVA-1**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W



Bulb included

035 007 0002  
HL 744

**RİVA-2**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included

035 007 0003  
HL 745

**RİVA-3**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 007 0005  
HL 747

**RİVA-5**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 007 0004  
HL 746

**RİVA-4**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included

035 007 0006  
HL 748

**RİVA-6**

**MAT CHROME**


- 220-240V / 50-60Hz
- Max. 6x40W



Bulb included

**035 008 0001**  
HL 780**DALYAN-1****MAT CHROME**


- 220-240V / 50-60Hz
- Max. 40W



Bulb Included

**035 008 0002**  
HL 781**DALYAN-2****MAT CHROME**


- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included

**035 008 0003**  
HL 782**DALYAN-3****MAT CHROME**


- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included

**035 008 0005**  
HL 784**DALYAN-5****MAT CHROME**


- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included

**035 008 0004**  
HL 783**DALYAN-4****MAT CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included





035 009 0001

HL 700

**AMOS-1****CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W




035 009 0002

HL 701

**AMOS-2****CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




035 009 0003

HL 702

**AMOS-3****CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




035 009 0004

HL 703

**AMOS-4****CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




035 009 0005

HL 704

**AMOS-5****CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W





036 007 0001

**LİKYA-1**

**CHROME**

- 220-240V / 50-60Hz
- 5W
- 150 lm
- 4000K

**NEW**



036 007 0002

**LİKYA-2**

**CHROME**

- 220-240V / 50-60Hz
- 2x5W
- 2x150 lm
- 4000K

**NEW**




036 007 0003

**LİKYA-3**

**CHROME**

- 220-240V / 50-60Hz
- 3x5W
- 3x150 lm
- 4000K

**NEW**




036 007 0004

**LİKYA-4**

**CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x150 lm
- 4000K

**NEW**




036 007 0005

**LİKYA-5**

**CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x150 lm
- 4000K

**NEW**




036 007 0006

**LİKYA-6**

**CHROME**

- 220-240V / 50-60Hz
- 6x5W
- 6x150 lm
- 4000K

**NEW**





036 001 0002

**PATARA-2**

CHROME

HL 7181L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K



036 001 0003

**PATARA-3**

CHROME

HL 7182L



- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K



036 001 0004

**PATARA-4**

CHROME

HL 7183L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 001 0001


**PATARA-1**

CHROME

HL 7180L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 001 0005


**PATARA-5**

CHROME

HL 7184L



- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K





036 002 0002


**LARA-2**

CHROME

HL 7191L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K



036 002 0003


**LARA-3**

CHROME

HL 7192L



- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K



036 002 0004


**LARA-4**

CHROME

HL 7193L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 002 0001


**LARA-1**

CHROME

HL 7190L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 002 0005


**LARA-5**

CHROME

HL 7194L



- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K






036 003 0002

**SIDE-2****CHROME**

HL 7161L

- 220-240V / 50-60Hz
- 5W
- 325 lm
- 4000K




036 003 0003

**SIDE-3****CHROME**

HL 7162L

- 220-240V / 50-60Hz
- 2x5W
- 2x325 lm
- 4000K




036 003 0004

**SIDE-4****CHROME**

HL 7163L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0001

**SIDE-1****CHROME**

HL 7160L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0005

**SIDE-5****CHROME**

HL 7164L

- 220-240V / 50-60Hz
- 4x5W
- 4x325 lm
- 4000K








036 005 0001

**DiDiM-1**

**CHROME**

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K



036 005 0002

**DiDiM-2**

**CHROME**

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 005 0003

**DiDiM-3**

**CHROME**

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 005 0004

**DiDiM-4**

**CHROME**

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0005

**DiDiM-5**

**CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K




CEILING LAMP / LED CEILING LAMP



036 006 0001

**ASSOS-1****CHROME**


- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K



036 006 0002

**ASSOS-2****CHROME**



- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K



036 006 0003

**ASSOS-3****CHROME**

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K



036 006 0004

**ASSOS-4****CHROME**


- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K



036 006 0005


**ASSOS-5****CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K




036 004 0001  
HL 7140L**MİLAS-1****CHROME**


- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K

036 004 0002  
HL 7141L**MİLAS-2****CHROME**

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K

036 004 0003  
HL 7142L**MİLAS-3****CHROME**


- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K

036 004 0004  
HL 7143L**MİLAS-4****CHROME**

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K

036 004 0005  
HL 7144L**MİLAS-5****CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K



**AQUA-1**

037 001 0001

HL 881

**CHROME**

220-240V / 50-60Hz  
Max. 40W

E14

200 mm

55 mm 85 mm

IP44

**VODA-1**

037 002 0001

HL 891

**CHROME**

220-240V / 50-60Hz  
Max. 40W

E14

200 mm

65 mm 90 mm

IP44

**HOROZ ELECTRIC**

Bathroom Lamp  
Picture & Mirror Lamp  
LED Picture & Mirror Lamp  
LED Reading Lamp

ERC

RoHS

**AQUA-2**

037 001 0002

HL 882

**CHROME**

220-240V / 50-60Hz  
Max. 2x40W

E14

338 mm

95 mm 85 mm

IP44

**VODA-2**

037 002 0002

HL 892

**CHROME**

220-240V / 50-60Hz  
Max. 2x40W

E14

330 mm

75 mm 103 mm

IP44

**AQUA-3**

037 001 0003

HL 883

**CHROME**

220-240V / 50-60Hz  
Max. 3x40W

E14

85 mm

Ø 308 mm

IP44

**VODA-3**

037 002 0003

HL 893

**CHROME**

220-240V / 50-60Hz  
Max. 3x40W

E14

112 mm

Ø 411 mm

IP44



040 011 0009


**SUMRU-9**

**CHROME**

- 85-265V / 50-60Hz
- 9W
- 850 lm
- 4200K
- Average Life: 30.000 Hrs



**NEW**



040 010 0006

**EBABIL-6**

**CHROME**

- 85-265V / 50-60Hz
- 6W
- 550 lm
- 4200K
- Average Life: 30.000 Hrs



**NEW**



BATHROOM LAMP / PICTURE & MIRROR LAMP / LED PICTURE & MIRROR LAMP / LED READING LAMP



**PELIKAN**

040 003 0004


HL 6631L

**CHROME****21 LED**

- 100-250V / 50-60Hz
- 4W, 148 lm
- 4200K
- Average Life: 30.000 Hrs.



ON-OFF

**FLAMİNGO-4**

040 001 0004


HL 6641L

**CHROME****21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs.



ON-OFF



040 001 0006

**FLAMİNGO-6**


HL 6642L

**CHROME****30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs.



ON-OFF



040 002 0004

**ALBATROS-4**


HL 6651L

**CHROME****21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs.



ON-OFF



040 002 0006

**ALBATROS-6**

HL 6652L

**CHROME****30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs.



ON-OFF




039 001 0001

**KUMRU**

HL 652

**CHROME****MAT CHROME****GOLDEN****TITANIUM BLACK**

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W, 500 lm

JC  
64


BATHROOM LAMP / PICTURE &amp; MIRROR LAMP / LED PICTURE &amp; MIRROR LAMP / LED READING LAMP

**LORI-6**

040 008 0006

**CHROME****12 LED**


- 85-265V / 50-60Hz
- 6W, 350 lm
- 4200K
- Average Life: 30.000 Hrs

**LORI-9**

040 008 0009

**CHROME****18 LED**

- 85-265V / 50-60Hz
- 9W, 540 lm
- 4200K
- Average Life: 30.000 Hrs

**FLORYA-3**

040 009 0003

**CHROME**

- 100-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hrs

**FLORYA-6**

040 009 0006

**CHROME**

- 100-265V / 50-60Hz
- 6W
- 385 lm
- 4000K
- Average Life: 30.000 Hrs

**FLORYA-9**


040 009 0009

**CHROME**

- 100-265V / 50-60Hz
- 9W
- 540 lm
- 4000K
- Average Life: 30.000 Hrs

**HL 651****CHROME****MAT CHROME**

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W (JC)
- Max. 2x35W (MR11)



**SAKA**

040 004 0003


HL 003L

**RED****WHITE****BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

**MARTI**

040 005 0003


HL 008L

**RED****WHITE****BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs




ON-OFF

**KUĞU**

040 006 0003

**SILVER**

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF

**TURNA**

040 007 0003

**SILVER**

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF



BATHROOM LAMP / PICTURE &amp; MIRROR LAMP / LED PICTURE &amp; MIRROR LAMP / LED READING LAMP





**HOROZ ELECTRIC**

**LED Floor Lamp / Floor Lamp**



**HOROZ ELECTRIC**

**LED Floor Lamp  
Floor Lamp**



046 001 0003

HL 004L

**TUNA**

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs



LED FLOOR LAMP / FLOOR LAMP

046 002 0003

HL 009L

**ARAS**

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs



046 003 0003

HL 012L

**DİCLE**

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs





**MERİÇ-1**

045 001 0001

HL 080



BLUE

WHITE

GREEN

ORANGE

• 220-240V / 50-60Hz

• Max. 100W



**MERİÇ-2**

045 001 0002

HL 081



WHITE

• 220-240V / 50-60Hz

• Mother: Max. 100W E27

• Baby: Max. 40W E14



**MERİÇ-3**

045 001 0003

HL 082



WHITE

• 220-240V / 50-60Hz

• Mother: Max. 100W E27

• Baby: Max. 40W E14



**HOROZ ELECTRIC****LED Desk Lamp / Desk Lamp**

049 009 0005

**MERVE**

BLUE

YELLOW

PINK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30,000 Hrs



TOUCH



049 010 0010

**EBRU**

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 10W, 600 lm
- 3000K / 4500K / 6000K
- Average Life: 30,000 Hrs

**HOROZ ELECTRIC****LED Desk Lamp  
Desk Lamp**

049 011 0005

**İREM**

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30,000 Hrs



TOUCH



049 004 0003

HL 007L

**DİLARA**

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs



ON-OFF



049 005 0003

HL 011L

**BUKET**

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs



ON-OFF





LED DESK LAMP / DESK LAMP

**049 006 0003**  
HL 010L

**BERNA**

**BLACK**  
**WHITE**  
**BLUE**  
**RED**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF

**049 007 0003**  
HL 013L

**BUSE**

**BLACK**  
**WHITE**  
**BLUE**  
**RED**  
**GREEN**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF

**049 008 0003**  
HL 014L

**BİLGE**

**BLACK**  
**WHITE**  
**BLUE**  
**RED**  
**GREEN**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF

**049 002 0003**  
HL 002L

**BEYZA**

**RED**  
**WHITE**  
**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF

**049 003 0003**  
HL 006L

**ALEYNA**

**RED**  
**WHITE**  
**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF

**049 001 0003**  
HL 001L

**ECE**

**RED**  
**WHITE**  
**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs

**3W POWER LED**

ON-OFF



**BUDDY**

048 001 0015

HL 045



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



**OSCAR**

048 002 0015

HL 046



- PINK
- WHITE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



**TOBY**

048 003 0015

HL 047



- ORANGE
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



**KITTY**

048 004 0011

HL 036



- PINK
- BLUE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



**MOLLY**


048 005 0011

HL 037



- PINK
- BLUE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



**APPLE**


048 006 0011

HL 038



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



**FLYER**

048 008 0011

HL 044



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



**DONALD**


048 007 0011

HL 043



- BLUE
- ORANGE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



048 010 0060  
HL 067**DERYA**

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W

048 011 0040  
HL 068**DENİZ**

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 9W ESL
- Max. 40W

048 009 0060  
HL 050**BİHTER**

BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W

048 013 0060  
HL 074**RANA**

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 12W ESL
- Max. 60W

048 012 0011  
HL 069**NAZ**

BLACK

WHITE

RED

GREY


- 220-240V / 50-60Hz
- Max. 11W, 350 lm

048 014 0060  
HL 090**SİMGE**

GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W



**HOROZ ELECTRIC**

# LED Batten Light / Electronic Wall Lamp

052 003 0060

**TETRA-18**

- 1135 lm
- Average Life: 20,000 Hrs
- 200-240V / 50-60Hz
- 6400K

**HOROZ ELECTRIC**

## LED Batten Light Electronic Wall Lamp



052 003 0120

**TETRA-36**

- 2269 lm
- Average Life: 20,000 Hrs
- 200-240V / 50-60Hz
- 6400K



052 001 0030

**SIGMA-4**

052 001 0060

**SIGMA-7**

052 001 0090

**SIGMA-10**

052 001 0120

**SIGMA-14**

HL 2001L



4W - 30 cm

7W - 60 cm

10W - 90 cm

14W - 120 cm

- 360 lm
- 630 lm
- 900 lm
- 1260 lm
- Average Life: 20,000 Hrs
- 220-240V / 50-60Hz
- 6400K

48-30 mm 128-90 mm

78-60 mm 148-120 mm



ON-OFF



052 002 0030

**OMEGA-6**

052 002 0060

**OMEGA-9**

052 002 0090

**OMEGA-12**

052 002 0120

**OMEGA-16**

HL 301L



6W - 30 cm

9W - 60 cm

12W - 90 cm

16W - 120 cm

- 540 lm
- 810 lm
- 1080 lm
- 1440 lm
- Average Life: 20,000 Hrs
- 220-240V / 50-60Hz
- 6400K

58-30 mm 128-90 mm

98-60 mm 168-120 mm



ON-OFF





### BETA-18


053 002 0018

### BETA-36

053 002 0036

HL 3011

220-240V / 50-60Hz



### ALFA-6

053 001 0006

### ALFA-8

053 001 0008


### ALFA-13

053 001 0013

### ALFA-28

053 001 0028

HL 2001



### DELTA-18

053 008 0018

### DELTA-36

053 008 0036

HL 160 18W / HL 161 36W

220-240V / 50-60Hz



### PUNTO-36

053 009 0036

### PUNTO-72

053 009 0072

HL 162 2x18W / HL 163 2x36W

220-240V / 50-60Hz



### ZETA-18

053 010 0018

### ZETA-36

053 010 0036

HL 164 18W / HL 165 36W



220-240V / 50-60Hz






054 001 0080

**HL 182E 4x20W**



**RECESSED TYPE**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm



**ELECTRONIC BALLAST**


054 002 0080

**HL 183E 4x20W**



**SURFACE TYPE**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm



**ELECTRONIC BALLAST**




054 005 0040

**HL 181 2x20W**

**SURFACE TYPE**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 2x20W, 2000 lm  
2x40W, 5000 lm




054 007 0080

**HL 183 4x20W**

**SURFACE TYPE**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 4x20W, 4000 lm  
4x40W, 10000 lm



054 006 0080

**HL 185 2x40W**

054 008 0160


**HL 187 4x40W**

054 003 0040

**HL 180 2x20W**

**RECESSED TYPE**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 2x20W, 2000 lm




054 004 0080

**HL 182 4x20W**

**RECESSED TYPE**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 4x20W, 4000 lm




**NEHİR-18**

059 003 0018



**NEW**

PC COVER



- 170-265V/50-60Hz
- 18W
- 1600 lm
- 6400K
- Average Life: 30.000Hrs



LED Waterproof Lamp  
Waterproof Lamp  
Magnetic Wall Lamp



**NEHİR-36**

059 003 0036



**NEW**

PC COVER



- 170-265V/50-60Hz
- 36W
- 3300 lm
- 6400K
- Average Life: 30.000 hrs

**NEHİR-45**

059 003 0045

**NEW**

PC COVER



- 170-265V/50-60Hz
- 45W
- 4200 lm
- 6400K
- Average Life: 30.000Hrs

### DAMLA-20

059 001 0020 HL 141L



#### DARK GREEN

- 220-240V / 50-60Hz
- 20W
- 1327 lm
- 6400K
- Average Life: 30.000Hrs



### DAMLA-40

059 001 0040 HL 142L



#### DARK GREEN

- 220-240V / 50-60Hz
- 40W
- 2654 lm
- 6400K
- Average Life: 30.000Hrs




059 002 1009

### SU-1009

- 220-240V / 50-60Hz
- 9W
- 650 lm
- Average Life: 25.000 Hrs
- 6400K



INCLUDED LED TUBE  
PC COVER



059 002 1018

### SU-1018

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



INCLUDED LED TUBE  
PC COVER



059 002 2009

### SU-2009

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



INCLUDED LED TUBE  
PC COVER



059 002 2018

### SU-2018

- 220-240V / 50-60Hz
- 36W
- 2600 lm
- Average Life: 25.000 Hrs
- 6400K



INCLUDED LED TUBE  
PC COVER



**058 001 1020** **TRONIC-1020**

**HL 141E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 20W
- For Lamp: 1000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 2020** **TRONIC-2020**

**HL 143E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x20W
- For Lamp: 2000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 1040** **TRONIC-1040**

**HL 142E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 40W
- For Lamp: 2500 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 2040** **TRONIC-2040**

**HL 144E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x40W
- For Lamp: 5000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**060 001 1020** **TMS-1020**

**HL 150**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.37A
- $\Delta T65^{\circ}\text{C}$  TW105°
- Max 20W
- For Lamp: 1000 lm

**IP54** **PC COVER**

**060 001 1040** **TMS-1040**

**HL 152**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C}$  TW105°
- Max 40W
- For Lamp: 2500 lm

**IP54** **PC COVER**

**060 001 2020** **TMS-2020**

**HL 151**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.41A
- $\Delta T65^{\circ}\text{C}$  TW105°
- Max 2x20W
- For Lamp: 2000 lm

**IP54** **PC COVER**

**060 001 2040** **TMS-2040**

**HL 153**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C}$  TW105°
- Max 2x40W
- For Lamp: 5000 lm

**IP54** **PC COVER**

**HL 140**

**11W**

- 220-240V / 50-60Hz
- 11W
- With built-in suitable ballast
- For Lamp: 520 lm

**IP54** **PC COVER**

**HOROZ ELECTRIC**

# High Bay Lamp / LED High Bay Lamp

062 001 0015

**ZEUS**

HL 500



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

**SHATTERPROOF**

062 003 0025

**AFRODIT**

HL 502



- RED
- GREEN
- BLUE
- PINK
- CLEAR

- 220-240V / 50-60Hz
- PC
- Max. 100W
- Max. 25W ESL

**HOROZ ELECTRIC**

## High Bay Lamp LED High Bay Lamp



062 002 0015

**APOLLON**

HL 501



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

**SHATTERPROOF**

062 004 0045

**EROS**

HL 505



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

**SHATTERPROOF**

062 005 0045

**ATHENA**

HL 506



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

**SHATTERPROOF**

062 006 0065

**ARES**

HL 510



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

**SHATTERPROOF**

062 007 0065

**GALYA**

HL 513



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

**SHATTERPROOF**

062 008 0105

**HERA**

HL 514



- 220-240V / 50-60Hz
- PC
- Max. 250W

**SHATTERPROOF**

HIGH BAY LAMP / LED HIGH BAY LAMP



**ATLAS-50**

063 001 0050

HL 515L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30,000 Hrs
- 50W, 2990 lm
- 6400K




**ATLAS-70**

063 001 0070

HL 516L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30,000 Hrs
- 70W, 4540 lm
- 6400K




**ATLAS-100**

063 001 0100

HL 517L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30,000 Hrs
- 90W, 5880 lm
- 6400K



065 001 0150

**HL 100**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 150W

140 mm 80 mm  
130 mm 190 mm

IP44 R75 10 mm

Bulb Included

065 001 0500

**HL 101**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 500W

185 mm 130 mm  
140 mm 205 mm

IP44 R75 11 mm

Bulb Included

Halogen Projector  
LED Projector  
Metal Halide Projector  
Projector Stand

ERC

RoHS

065 001 1000

**HL 102**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 1000W

260 mm 145 mm  
190 mm 302 mm

IP44 R75 18 mm

Bulb Included

065 002 0150

**HL 104**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 150W

140 mm 90 mm  
110 mm 215 mm

IP44 R75 10 mm 100°

Bulb Included

065 002 0500

**HL 105**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 500W

180 mm 120 mm  
145 mm 205 mm

IP44 R75 11 mm 100°

Bulb Included

067 002 0150

**HL 120A**

BLACK

220-240V / 50-60Hz  
Max. 150W

180 mm

IP65

**HL 135**

WHITE

220-240V / 50-60Hz  
Max. 150W  
With Ballast

180 mm 250 mm  
100 mm 110 mm

IP65

068 006 0020 **LEOPAR-20** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 20W, 1700 lm
- 2700K / 4200K / 6400K

**NEW**





157 mm  
80 mm  
IP65

**20W SMD LED**

068 006 0030 **LEOPAR-30** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 30W, 2550 lm
- 2700K / 4200K / 6400K

**NEW**





171 mm  
95 mm  
IP65

**30W SMD LED**

068 006 0050 **LEOPAR-50** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 50W, 4250 lm
- 2700K / 4200K / 6400K

**NEW**





202 mm  
243 mm  
IP65

**50W SMD LED**

068 006 0100 **LEOPAR-100** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 100W, 8500 lm
- 2700K / 4200K / 6400K

**NEW**





253 mm  
280 mm  
IP65

**100W SMD LED**

068 006 0150 **LEOPAR-150** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 150W, 12750 lm
- 2700K / 4200K / 6400K

**NEW**





310 mm  
345 mm  
IP65

**150W SMD LED**

068 006 0200 **LEOPAR-200** **BLACK**

- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 200W, 17000 lm
- 2700K / 4200K / 6400K

**NEW**





310 mm  
345 mm  
IP65

**200W SMD LED**



068 005 0050 **PANTER-50** **BLACK**

**NEW**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 50W, 3750 lm
- 2700K / 4200K / 6400K







068 005 0100 **PANTER-100** **BLACK**

**NEW**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 100W, 7500 lm
- 2700K / 4200K / 6400K







068 005 0150 **PANTER-150** **BLACK**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 150W, 11250 lm
- 2700K / 4200K / 6400K







**NEW**

068 005 0200 **PANTER-200** **BLACK**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 200W, 15000 lm
- 2700K / 4200K / 6400K







**NEW**

068 005 0300 **PANTER-300** **BLACK**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 300W, 22500 lm
- 2700K / 4200K / 6400K







**NEW**

068 005 0400 **PANTER-400** **BLACK**



- 85-265V / 50-60Hz
- Average Life: 50,000 Hrs
- 400W, 30000 lm
- 2700K / 4200K / 6400K







**NEW**

**068 003 0010 PUMA-10** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 500 lm
- 6400K / 2700K / GREEN






**068 003 0020 PUMA-20** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K / 2700K / GREEN






**068 003 0030 PUMA-30** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K / 2700K / GREEN






**068 003 0050 PUMA-50** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K / 2700K / GREEN






**068 003 0100 PUMA-100** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K / 2700K






**068 003 0200 PUMA-200** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2x100W, 10000 lm
- 6400K / 2700K






**068 004 0010 PUMA/S-10** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20,000 Hrs
- 10W, 500 lm
- 6400K

WITH PIR SENSOR

10W SMD LED

IP65

**068 004 0020 PUMA/S-20** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20,000 Hrs
- 20W, 1000 lm
- 6400K

WITH PIR SENSOR

20W SMD LED

IP65

**068 004 0030 PUMA/S-30** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20,000 Hrs
- 30W, 1500 lm
- 6400K

WITH PIR SENSOR

30W SMD LED

IP65

**068 004 0050 PUMA/S-50** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20,000 Hrs
- 50W, 2500 lm
- 6400K

WITH PIR SENSOR

50W SMD LED

IP65


**068 004 0100 PUMA/S-100** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20,000 Hrs
- 100W, 5000 lm
- 6400K

WITH PIR SENSOR

100W SMD LED

IP65



HALOGEN PROJECTOR / LED PROJECTOR / METAL HALIDE PROJECTOR / PROJECTOR STAND


068 002 0010

**JAGUAR-10**

**BLACK**

HL 171L

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 10W, 520 lm
- 6500K




068 002 0030

**JAGUAR-30**

**BLACK**

HL 172L

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 30W, 2014 lm
- 6500K




068 002 0100

**JAGUAR-100**

**BLACK**

HL 174L

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 2x50W, 6265 lm
- 6500K



**Projector Stand**



**TRIPOD SINGLE**

107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter HQ5VV-F cable



**TRIPOD DOUBLE**

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter HQ5VV-F cable



107 001 0003

**PORTABLE**

- PORTABLE STAND
- 1.5 meter HQ5VV-F cable




**REGAL-9**

109 001 0009

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 540 lm
- Average Life: 50.000 Hrs
- Aluminium Body




**REGAL-12**

109 001 0012

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 720 lm
- Average Life: 50.000 Hrs
- Aluminium Body



LED Wallwasher




**REGAL-18**

109 001 0018

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 1080 lm
- Average Life: 50.000 Hrs
- Aluminium Body



**REGAL-24**

109 001 0024

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 1440 lm
- Average Life: 50.000 Hrs
- Aluminium Body



**REGAL-36**

109 001 0036

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 2160 lm
- Average Life: 50.000 Hrs
- Aluminium Body



LED WALLWASHER

070 001 0060  
HL 900

**NEMRUT**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

210 mm  
80 mm  
106 mm

IP54

070 002 0060  
HL 901

**TOROS**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

210 mm  
85 mm  
105 mm

IP54

Aluminium Bulkhead Lamp  
LED Bulkhead Lamp



070 003 0060  
HL 902

**ZİRVE**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

210 mm  
85 mm  
105 mm

IP54

070 004 0060  
HL 903

**DORUK**

WHITE  
BLACK  
GREY

220-240V / 50-60Hz  
Max. 60W

E27

215 mm  
100 mm  
140 mm

IP54

070 005 0060  
HL 905

**ZİGANA**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

180 mm  
85 mm  
180 mm

IP54

070 006 0060  
HL 906

**ARARAT**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

170 mm  
80 mm  
170 mm

IP54

070 007 0060  
HL 907

**ALP**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

170 mm  
80 mm  
170 mm

IP54

**070 008 0040**  
**HL 908**

**EVEREST**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 40W

E27

165 mm 130 mm  
95 mm

IP54



**070 009 0060**  
**HL 909**

**HİMALAYA**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

265 mm  
130 mm  
130 mm

IP54



**070 010 0060**  
**HL 910**

**HAZAR**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

265 mm  
130 mm  
130 mm

IP54



**070 011 0060**  
**HL 911**

**KARPAT**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 60W

E27

265 mm  
130 mm  
165 mm

IP54



**070 012 0100**  
**HL 920**

**AYDER**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 100W

E27

275 mm  
115 mm  
155 mm

IP54



**070 013 0100**  
**HL 921**

**KAÇKAR**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 100W

E27

275 mm  
120 mm  
155 mm

IP54



**070 014 0100**  
**HL 925**

**MUNZUR**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 100W

E27

240 mm  
110 mm  
240 mm

IP54



**070 015 0100**  
**HL 926**

**ERCIYES**

WHITE  
BLACK

220-240V / 50-60Hz  
Max. 100W

E27

240 mm  
115 mm  
240 mm

IP54



**071 001 0012** **URAL** **WHITE**

- 220-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs
- 12W
- 900 lm
- 4000K




**12W SMD LED** **IP54**



**071 003 0006** **RAMAN** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 400 lm
- 4000K




**6W SMD LED** **IP54**

**071 004 0006** **ANT** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 300 lm
- 4000K




**6W SMD LED** **IP54**

**071 005 0008** **SUPHAN** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 515 lm
- 4000K




**8W SMD LED** **IP54**

**071 006 0008** **KAFKAS** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 420 lm
- 4000K




**8W SMD LED** **IP54**

**071 007 0012** **NUR** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 855 lm
- 4000K




**12W SMD LED** **IP54**

**071 008 0012** **ALTAY** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 670 lm
- 4000K




**12W SMD LED** **IP54**




**HOROZ ELECTRIC**


# Street Light / LED Street Light

073 001 0125  
**HL 191****VATAN-125****DARK GREY**

- 220-240V / 50-60Hz
- Max. 125W

073 001 0250  
**HL 192****VATAN-250****DARK GREY**


- 220-240V / 50-60Hz
- Max. 250W

**HOROZ ELECTRIC**


## Street Light LED Street Light

074 002 0060  
**HL 190****WALL STREET****WHITE**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 20W ESL

074 001 0030  
**HL 193L****ARBAT****SILVER**

- 220-240V / 50-60Hz
- 6-100K
- 1x30W
- 1837 lm
- Average Life: 30.000 Hrs



STREET LIGHT / LED STREET LIGHT




074 004 0030

**BROADWAY-30**

**DARK GREY**

- 100-240V / 50-60Hz
- 4200K
- 1x30W
- 3150 lm
- Average Life: 50.000 Hrs




074 004 0050

**BROADWAY-50**

**DARK GREY**

- 100-240V / 50-60Hz
- 4200K
- 1x50W
- 5250 lm
- Average Life: 50.000 Hrs




074 004 0100

**BROADWAY-100**

**DARK GREY**

- 200-240V / 50-60Hz
- 4200K
- 2x50W
- 10500 lm
- Average Life: 50.000 Hrs




074 004 0150

**BROADWAY-150**

**DARK GREY**

- 200-240V / 50-60Hz
- 4200K
- 3x50W
- 15750 lm
- Average Life: 50.000 Hrs




074 004 0200

**BROADWAY-200**

**DARK GREY**

- 100-240V / 50-60Hz
- 4200K
- 4x50W
- 21000 lm
- Average Life: 50.000 Hrs



STREET LIGHT / LED STREET LIGHT



075 002 0001  
**HL 200**

**LADİN-1**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL




**LADİN-3**

075 002 0003

**HL 202**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0002  
**HL 201**

**LADİN-2**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0004  
**HL 203**

**LADİN-4**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



**Garden Lamp  
LED Garden Lamp**






**KAYIN-1**

075 003 0001

HL 205




- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



**KAYIN-2**

075 003 0002

HL 206



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



**KAYIN-3**

075 003 0003

HL 208



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



**KAYIN-4**

075 003 0004

HL 209



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W






075 001 0001  
HL 295

**PALMIYE-1**

**BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




075 001 0002  
HL 296

**PALMIYE-2**

**BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




075 001 0004  
HL 298

**PALMIYE-4**

**BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL



075 001 0003  
HL 297

**PALMIYE-3**

**BLACK**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




076 002 0001  
HL 210L**MİMOZA-1****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs

076 002 0002  
HL 211L**MİMOZA-2****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs

076 002 0003  
HL 212L**MİMOZA-3****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs

076 002 0004  
HL 213L**MİMOZA-4****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs

076 002 0005  
HL 214L**MİMOZA-5****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs

076 002 0006  
HL 215L**MİMOZA-6****MAT CHROME**

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




GARDEN LAMP / LED GARDEN LAMP

**DEFNE-1**

075 004 0001

HL 230



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-5**

075 004 0005

HL 235



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-2**

075 004 0002

HL 232



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-3**

075 004 0003

HL 233



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-4**

075 004 0004

HL 234



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



075 005 0001

HL 258P

**ÇINAR**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W
- Max 3x12W ESL





075 006 0001

HL 240

**AKASYA-1**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0002

HL 242

**AKASYA-2**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0003

HL 243

**AKASYA-3**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0006

HL 245P

**AKASYA-6**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W



075 006 0004

HL 244

**AKASYA-4**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W




075 006 0005

HL 245

**AKASYA-5**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W







075 012 0001

HL 270

**ERGUVAN-1**

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



**ERGUVAN-2**

075 012 0002

HL 271

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



**LEYLAK-1**

075 013 0001

HL 275

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 012 0003

HL 272

**ERGUVAN-3**

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 013 0002

HL 276

**LEYLAK-2**

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W





075 013 0003  
HL 277

**LEYLAK-3**

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 012 0004  
HL 270M

**ERGUVAN-4**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W




075 012 0005  
HL 270P

**ERGUVAN-5**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 3x60W



075 012 0006  
HL 273P

**ERGUVAN-6**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W






075 009 0001  
HL 237

**MANGO-1**



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL




075 009 0002  
HL 238

**MANGO-2**



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL




075 009 0003  
HL 239

**MANGO-3**



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL



GARDEN LAMP / LED GARDEN LAMP






075 010 0001  
HL 246

**GARDENYA-1**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb Included



075 010 0002  
HL 247

**GARDENYA-2**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb Included



075 010 0003  
HL 248

**GARDENYA-3**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb Included



075 010 0004  
HL 249

**GARDENYA-4**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb Included



075 008 0001  
HL 265

**MANOLYA-1**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 35W



Bulb Included

075 008 0002  
HL 266

**MANOLYA-2**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 2x35W




Bulb Included

075 008 0003  
HL 267

**MANOLYA-3**

- 220-240V / 50-60Hz
- Aluminum Body
- Diffuser: Glass
- Max 2x12W ESL





**HURMA**

076 010 0005

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

5W SMD LED IP65

**IHLAMUR**

076 013 0002

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs

2W SMD LED IP65

**MERSİN**

076 011 0005

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

5W SMD LED IP65

**İĞDE**

076 014 0002

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs

2W SMD LED IP65

**GÜRGEN**

076 012 0005

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

5W SMD LED IP65

**İNCİR**

076 015 0002

**NEW**

**DARK GREY**

- 100-240V / 50-60Hz
- 2W
- 4200K
- 110 lm
- Average Life: 30.000 Hrs

2W SMD LED IP65



### SERVI

076 009 0012

NEW

BLACK

WHITE

- 100-240V / 50-60Hz
- 12W
- 4200K
- 750 lm
- Average Life: 30.000 Hrs




### ARDIÇ

076 003 0006

HL 237L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 385 lm
- Average Life: 30.000 Hrs



### SELVİ

076 007 0004

HL 241L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 35 lm
- Average Life: 30.000 Hrs



### MEŞE

076 004 0006

HL 238L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 420 lm
- Average Life: 30.000 Hrs




### SALKIM

076 008 0004

HL 242L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 65 lm
- Average Life: 30.000 Hrs






**ZAKKUM**

076 005 0003  
HL 239L

**BLACK**

- Aluminium Body
- 220-240V / 50-60Hz
- 3W
- 4100K
- 230 lm
- Average Life: 30.000 Hrs



**TAFLAN**

076 006 0006  
HL 240L

**BLACK**

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 200 lm
- Average Life: 30.000 Hrs



GARDEN LAMP / LED GARDEN LAMP


**SAFRAN-5**

076 001 0005  
HL 281L

**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- 5W
- 6400K / GREEN
- 409 lm
- Average Life: 30.000 Hrs



**SAFRAN-16**

076 001 0016  
HL 282L

**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- 16W
- 6400K / GREEN
- 1229 lm
- Average Life: 30.000 Hrs





# HOROZ ELECTRIC LED Solar Lamp

## CRYSTAL

078 009 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW



## VENÜS

078 001 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



# HOROZ ELECTRIC

## LED Solar Lamp




## SATÜRN

078 003 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



## MARS

078 002 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



## LOTUS

078 011 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW



## ORBIT

078 010 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 3x0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW







## PLUTON

078 005 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




## NEPTUN

078 004 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




## HALLEY

078 006 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



LED SOLAR LAMP

## WIZARD

078 008 0001



WITH PIR SENSOR




- 3 Ni-MH 600 mAh 1.2V
- 6400K
- 2W
- 150 lm
- Average Life: 50.000 Hrs



078 007 0001

## MAGIC

- 3 Ni-MH AA 100 mAh 1.2V
- 6400K
- 9x0.06W
- 9x1.5 lm
- Average Life: 100.000 Hrs



**HOROZ ELECTRIC**


# Inground & Recessed Type LED Lamp

079 001 0003

HL 957L

**ZÜMRÜT****WHITE****MAT CHROME**

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs




079 002 0003

HL 958L

**YAKUT****WHITE****MAT CHROME**

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs

**HOROZ ELECTRIC**

## Inground & Recessed Type LED Lamp

**GOLD**

079 025 0003

**WHITE**

- 220-240V / 50-60Hz
- 3W, 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs




079 004 0002

HL 941L

**İNCI**

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs

**DIAMOND**

079 026 0002

**NEW****WHITE****BLACK****GOLD****SILVER**

- 110-265V / 50-60Hz
- 2W, 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs




079 003 0002

HL 940L

**SAFİR**

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs




079 005 0002

HL 945L



**ELMAS****WHITE**

- 220-240V / 50-60Hz
- 1.8W, 98 lm
- Average Life: 50.000 Hrs





079 006 0002  
HL 931L**KUVARS**



- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs

079 009 0002  
HL 934L**KORNET**



- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs

079 007 0002  
HL 932L**KALSİT**



- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs

079 010 0002  
HL 935L**GRANİT**



- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs

079 008 0003  
HL 933L**OPAL**

- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs



079 011 0003  
HL 936L**PIRLANTA**

- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs




079 012 0002  
**HL 942L****MERCAN**



- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs

079 015 0002  
**HL 946L****SEDEF**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs

079 013 0002  
**HL 943L****AKIK**



- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs

079 016 0002  
**HL 947L****OLTU**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs

079 014 0002  
**HL 944L****ONIKS**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs

079 017 0002  
**HL 948L****BERİL**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs






079 018 0001

HL 951L

**GÜMÜŞ**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 021 0002

HL 954L

**PERLE**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs




079 019 0001

HL 952L

**BRONZ**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 022 0002

HL 955L

**AMBER**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs





079 020 0001

HL 953L

**BOR**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 023 0002

HL 956L

**PERA**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs





**COLORADO**

**SMD LED**

Can be cut each 1meter



**DOUBLE ROW**



**220-240V**

**NEW**

081 006 0001

**WATERPROOF**



- Operation Voltage: 220-240V / 50-60Hz
- Power: 18W/m
- 50,000 lm, per 16.4ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory



**VOLGA**

**SMD LED**

Can be cut each 1meter



**SINGLE ROW**



**220-240V**

HL 543L 081 004 0001

**WATERPROOF**

**THREE CHIPS**



- Operation Voltage: 220-240V / 50-60Hz
- Power: 10W/m
- 30,000 lm, per 16.4ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory



LED Strip  
LED Driver  
Waterproof LED Driver  
RGB Controller  
LED Ropelight  
RGB Amplifier



**SMD LED**



3 LEDs make a group and each group can be cut or extend in terms of the length of application



**SINGLE CHIP**

**REN**  
**REN/RGB**


HL 540L 081 001 0001

RGB 081 001 0002

**WATERPROOF**



- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1440 lm, per 16ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation






**NIL**

HL 541L 081 002 0001

**SINGLE CHIP**

**NONWATERPROOF**

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1440 lm, per 16ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120°
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



**THAMES**


HL 542L 081 003 0001

**RGB**


**THAMES/RGB**

**WATERPROOF**

- Operation Voltage: 12V DC
- Input Current: 6A (1 Roll/5m)
- Power: 72W (1 Roll/5m)
- 4,320 lm, per 16ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120°
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



**THREE CHIPS**



**AMAZON**


HL 542LN 081 005 0001

**RGB**

**AMAZON/RGB**


**NON WATERPROOF**

- Operation Voltage: 12V DC
- 4320 lm per 16ft reel
- Average Life: 30,000Hrs
- Standart Length: 1m / 60 LED
- 5 m Roll
- 14.4W / m
- LED Type: 50x50 SMD LED
- Beam Angle: 120°



**THREE CHIPS**

## LED Ropelight



**LED ROPELIGHT**

099 001 0001



**2 LINE**

**100m ROLL**

**13 mm**

**1.8 watt/meter**

**30 bulb/meter**

**10 accessories**


LED Ropelight can be cut for every 2 meters




- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs

**VEGA-10**
**082 001 0010**  
**HL 544**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 10W
- Output Current: 0,8A
- For 2m 35x28 SMD LED Strip
- For 1m 50x50 SMD LED Strip


**VEGA-36**
**082 001 0036**  
**HL 545**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 36W
- Output Current: 3A
- For 5m 35x28 SMD LED Strip
- For 1,5m 50x50 SMD LED Strip


**VEGA-60**
**082 001 0060**  
**HL 546**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For 10m 35x28 SMD LED Strip
- For 4m 50x50 SMD LED Strip


**VEGA-150**
**082 001 0150**  
**HL 548**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12A
- For 30m 35x28 SMD LED Strip
- For 10m 50x50 SMD LED Strip


**VEGA-200**
**082 001 0200**  
**HL 549**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For 40m 35x28 SMD LED Strip
- For 13m 50x50 SMD LED Strip





**083 001 0018** **VESTA-18** **WATERPROOF**

**NEW**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 18W
- Output Current: 1.5 A
- For Max. 3.5m 35x28 SMD Led Strip
- For Max. 1.2m 50x50 SMD Led Strip




**083 001 0025** **VESTA-25** **WATERPROOF**

**HL 553**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 25W
- Output Current: 2A
- For Max. 5m 35x28 SMD Led Strip
- For Max. 1.7m 50x50 SMD Led Strip




**083 001 0045** **VESTA-45** **WATERPROOF**

**NEW**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 45W
- Output Current: 3.75 A
- For Max. 8m 35x28 SMD Led Strip
- For Max. 2.5m 50x50 SMD Led Strip




**083 001 0060** **VESTA-60** **WATERPROOF**

**HL 555**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For Max. 12m 35x28 SMD Led Strip
- For Max. 4m 50x50 SMD Led Strip




**083 001 0100** **VESTA-100** **WATERPROOF**

**NEW**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 8.5 A
- For Max. 20m 35x28 SMD Led Strip
- For Max. 6.5m 50x50 SMD Led Strip




**083 001 0150** **VESTA-150** **WATERPROOF**

**NEW**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12.5A
- For Max. 30m 35x28 SMD Led Strip
- For Max. 10m 50x50 SMD Led Strip





**083 001 0200** **VESTA-200** **WATERPROOF**



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For Max. 40m 35x28 SMD Led Strip
- For Max. 13m 50x50 SMD Led Strip








100 001 0072

RGB Controller 2A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color



For Max. 15m 35x28 SMD LED Strip  
For Max. 5m 50x50 SMD LED Strip



100 002 0144


RGB Controller 4A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color



For Max. 30m 35x28 SMD LED Strip

For Max. 10m 50x50 SMD LED Strip



RGB Amplifier 12A

AMPLIFIER-12A

101 001 0144

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color
- 50x50 RGB Led Strips  
10 Meters with 60Leds/Meter,
- 35x28 RGB Led Strips  
30 Meters with 60Leds/Meter



144W



RGB Amplifier 24A

AMPLIFIER-24A

101 001 0288

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 288W
- Output Current: 8A/Each Color
- 50x50 RGB Led Strips  
20 Meters with 60Leds/Meter,
- 35x28 RGB Led Strips  
60 Meters with 60Leds/Meter



288W




**HOROZ ELECTRIC****Rechargeable LED Solar Camping Light /  
Emergency LED Lantern / LED Headlight****HOROZ ELECTRIC****Rechargeable  
LED Solar Camping Light /  
Emergency LED Lantern /  
LED Headlight**

084 022 0010

**ROMARIO****RECHARGEABLE****SOLAR**

- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration: 1 hour /strong light  
25 hours /weak light
- Average Life: 30.000 Hrs

**NEW**

084 001 0001

**CRUYFF****RECHARGEABLE****LED TORCH**


- 220-240V / 50-60Hz
- 1W, 100 lm
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2.5 Hours
- Average Life: 30.000 Hrs



084 002 0001

**ORTEGA****RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 3W, 100 lm
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2.5 Hours
- Average Life: 30.000 Hrs



084 003 0001

**MARADONA-1****RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:  
2 hours /strong light  
8 hours /weak light
- Average Life: 30.000 Hrs



084 003 0002

**MARADONA-2****RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 6Ah Rechargeable Sealed-Acid Battery
- Duration Time:  
4 hours /strong light  
16 hours /weak light
- Average Life: 30.000 Hrs



RECHARGEABLE LED SOLAR CAMPING LIGHT / EMERGENCY LED LANTERN / LED HEADLIGHT

**PUSKAS-2**

084 005 0002


HL 332L

**RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 5x1500 MCD 110°
- Bright LED Torch
- 25 lm
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours
- Average Life: 30.000 Hrs



ON/OFF

**PUSKAS-3**

084 005 0003


HL 333L

**RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
- Bright LED Torch
- 45 lm
- 0.9V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Average Life: 30.000 Hrs



ON/OFF



084 006 0001


HL 3094L

**PELE-1****RECHARGEABLE****LED LANTERN**ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE

- 220-240V / 50-60Hz
- 4x1500 MCD 110°
- Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
4 Hours For Strong Light  
16 Hours For Weak Light
- 4x0.1W, 20 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



ON/OFF



084 006 0002


HL 3097L

**PELE-2****RECHARGEABLE****LED LANTERN**ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE

- 220-240V / 50-60Hz
- 7x1500 MCD 110°
- Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
2.5 Hours For Strong Light  
10 Hours For Weak Light
- 7x0.1W, 35 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



ON/OFF



084 006 0003


HL 3099L

**PELE-3****RECHARGEABLE****LED LANTERN**ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
- Bright LED Torch
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
4 Hours For Strong Light  
16 Hours For Weak Light
- 9x0.1W, 45 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



ON/OFF



**084 007 0001**  
**HL 341L****BECKHAM-1****RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 1W, 100 lm Bright Light
- 7000-9000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hrs (for strong light) 4 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF

**084 007 0002**  
**HL 347L****BECKHAM-2****RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 0.7W, 35 lm Bright Light
- 9000-15000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2 Hrs (for strong light) 8 Hrs (for weak light)
- Beam Distance: 10m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF

**084 007 0003**  
**HL 343L****BECKHAM-3****RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 3W, 200 lm Bright Light
- 7000-9000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hrs (for strong light) 4 Hrs (for weak light)
- Beam Distance: 30m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF

**084 007 0004**  
**HL 349L****BECKHAM-4****RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 0.9W, 45 lm Bright Light
- 9000-15000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hrs (for strong light) 16 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF



084 010 0016

**ROSSI**

HL 303


**RECHARGEABLE****WALL-MOUNTED****LANTERN**

- 220-240V / 50-60Hz
- 2 x 8W, 206 lm
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 5 Hours, 2 Tubes 2.5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8,000 Hrs

084 011 0001

**PLATINI**

HL 323L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 35x1500 MCD 110° Bright LED Light
- 175 lm
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 15 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30,000 Hrs

**ZICO-4**

084 012 0004

HL 313L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 30x1500 MCD 110° Bright LED Light
- 150 lm
- 1x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 10 Hours, Step 2: 2 Hours
- Average Life: 30,000 Hrs

**ZICO-6**

084 012 0006

HL 312L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright LED Light
- 300 lm
- 2x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 9 Hours, Step 2: 2 Hours
- Average Life: 30,000 Hrs

**MALDINI-2**

084 014 0002

HL 306L

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright LED Light
- 90 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30,000 Hrs

**MALDINI-3**

084 014 0003

HL 308L

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30,000 Hrs

**FIGO-6**

084 013 0006

HL 306

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 1 x 6W, 70 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8,000 Hrs

**FIGO-8**

084 013 0008

HL 308

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 1 x 8W, 103 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8,000 Hrs



**LINEKER**

084 015 0003

HL 304L

**2.5W****RECHARGEABLE****LED DESK LAMP**

- 220-240V / 50-60Hz
- 25x1500 MCD 110°
- Bright LED Light
- 120 lm
- 6V 2Ah Rechargeable Sealed-Acid Battery
- Duration time: For 24 LED: 10 hours For 1 LED: 100 hours
- Average Life: 30.000 Hrs



ON/OFF

**ZIDANE**

084 016 0003

HL 304LR

**2.4W****RECHARGEABLE****LED DESK LAMP****WITH RADIO**

- 220-240V / 50-60Hz
- 24x1500 MCD 110°
- Bright LED Light
- 120 lm
- 2x 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration time: For 24 LED: 4 hours For Radio: 3 hours
- Average Life: 30.000 Hrs



ON/OFF

084 017 0003

**HAGI**

HL 319LR


**RECHARGEABLE****LANTERN****WITH RADIO**

- 220-240V 50/60 Hz
- 24x1500 MCD 110°
- Bright LED Light
- 3x1500 MCD 110°
- Bright LED Torch
- 120 lm
- 6V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration time: For 24 LED: 12 hours For 3 LED: 24 hours For Radio: 8 hours
- Average Life: 30.000 Hrs

**MÜLLER**

084 018 0001

HL 310L

**RECHARGEABLE****LED LAMP****E27**

- 220-240V / 50-60Hz
- 10x1500 MCD 110°
- Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated
- Average Life: 30.000 Hrs



ON/OFF

**ROBSON**

084 020 0002

HL 330L

**EMERGENCY****EXIT & SAFETY****LED LAMP**

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes



084 019 0001

**ZOFF**

HL 3301L

**EXIT & SAFETY LAMP****LED LAMP**

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes





085 001 0002

HL 991L

**REX**




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



085 001 0003

HL 992L

**BUGS**




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



**LED Night Lamp**



085 001 0004

HL 993L

**MAX**




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



085 001 0005

HL 994L

**DUFFY**



WHITE

BLUE

GREEN

RED


- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



085 001 0001

HL 990L

**DORA**



WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



085 001 0006

HL 981L


**SIMPSON**



WHITE

(LANDSCAPE)

- 220-240V / 50-60Hz
- Each Led 2.3 lm
- Average Life: 20.000 Hrs



LED NIGHT LAMP




086 001 0001

HL 452

**LORD**

**Specification**

- Power Source: Emitter - 12V DC (Battery included)
- Receiving: 4V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002

HL 453

**SOLID**

**Specification**

- Power Source: Emitter - 12V DC (Battery included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional





086 001 0006

HL 457

**SOLO**

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



086 001 0004

HL 455

**ALBA**

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003

HL 454

**HELIX**

**Specification**

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 100
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm




086 001 0005

HL 456

**VIOLA**

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




088 001 0005  
HL 484

**SMART**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz AC
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



WHITE

088 001 0006  
HL 485

**CORSA**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 800W (110-130V), 1200W (220-240V)
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 1Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.5-1.5m/s
- Installation Height: 2.2-6m



088 001 0001  
HL 480

**FOCUS**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 x 1m Max. (-24°C)
- Time-delay: 5 sec - 10x2 min.
- Ambient Light: +30Lux - 2000Lux
- Average Load: Max 1000W




WHITE  
BLACK

088 001 0002  
HL 481

**CORONA**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 x 1m Max. (-24°C)
- Time-delay: 5 sec - 10x2 min.
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)




WHITE  
BLACK

088 001 0003  
HL 482

**LINEA**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 0 x 2m Max. (-24°C)
- Time-delay: 5 sec - 10x2 min.
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)



WHITE  
BLACK



088 001 0004  
HL 483

**GOLF**

**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 6 x 2m Max. (-24°C)
- Time-delay: Max 5 sec - 10x2 min (adjustable)
- Ambient Light: +10Lux - 1000Lux
- Sound Control Sensitivity: 30db - 90db (adjustable)
- Average Load: 500W (220V/AC - 240V/AC)



WHITE



088 001 0007

**POLO**

HL 486

**MICROWAVE SENSOR**

Detection is possible to go through doors, panels of glass or thin walls



**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec + 3 sec, Max. 12 min + 1 min
- Ambient Light: +3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0,6-15 m/s



088 001 0008

**MEGANE**

HL 487

**INFRARED MOTION SENSOR**



**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (-24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: +3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0,6-15 m/s



**FLASH**


089 001 0001

HL 470



**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 1000W (6A)



**FLEX**


089 001 0002

HL 471



**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 1200W (10A)



**LUXOR**

089 001 0003

HL 472



**Specification**

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 2700W (25A)



## CONTROLLER-1

105 001 0001


Wireless Lighting Controller Switch



30m-60m

### Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W Energy saving lamp/LED x 300W Energy saving lamp/LED x 6 PCS
- Working voltage: 12V (A23 alkaline battery)




## TIMER-1

108 001 0001



### Mechanical Daily Timer Plug


- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 24 On/Off Programs
- Minimum Setting: 30 minutes
- 24 Hours Programming
- No Power Reserve
- Not Included Battery



## CONTROLLER-2

105 001 0002


Wireless Lighting Controller Switch



30m-60m

### Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W Energy saving lamp/LED x 300W Energy saving lamp/LED x 6 PCS
- Working voltage: 12V (A23 alkaline battery)




## TIMER-2

108 002 0001



### Digital Weekly Electronic Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 20 On/Off Programs
- Minimum Setting: 1 minutes
- With Battery Ni-Mh
- Power Reserve
- Included Battery



## CONTROLLER-3

105 001 0003


Wireless Lighting Controller Switch



30m-60m

### Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W Energy saving lamp/LED x 300W Energy saving lamp/LED x 6 PCS
- Working voltage: 12V (A23 alkaline battery)




## TIMER-3

108 003 0001



### Mechanical Daily Slim Timer

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 48 On/Off Programs
- Minimum Setting: 15 minutes
- 24 Hours Programming
- Power Reserve
- Included Battery



090 001 0010

HL 380 10W

**BALLAST-0010**

090 001 0015

HL 381 15W

**BALLAST-0015**

090 001 0018

HL 382 18W

**BALLAST-0018**

090 001 0030

HL 383 30W

**BALLAST-0030**

090 001 0036

HL 384 36W

**BALLAST-0036**

**ELECTRONIC BALLAST**

220-240V / 50-60Hz



090 001 2018

HL 385 2x18W

**BALLAST-2018**

090 001 2036

HL 386 2x36W

**BALLAST-2036**

**ELECTRONIC BALLAST**

220-240V / 50-60Hz



093 001 0060

HL 370 12V, 60W

**TRANSFORMER-60**

093 001 0105

HL 371 12V, 105W

**TRANSFORMER-105**


093 001 0150

HL 372 12V, 150W

**TRANSFORMER-150**

**ELECTRONIC TRANSFORMER**

220-240V / 50-60Hz



090 001 4018

HL 387 4x18W

**BALLAST-4018**

090 001 4036

HL 388 4x36W

**BALLAST-4036**


**ELECTRONIC BALLAST**

220-240V / 50-60Hz






094 001 0001 HL 580




094 002 0001 HL 584




094 003 0001 HL 590




094 002 0002 HL 585



094 003 0002 HL 591




094 001 0002 HL 581



094 002 0003 HL 586



094 003 0003 HL 592



094 001 0003 HL 582



094 002 0004 HL 587




094 003 0004 HL 593



094 001 0004 HL 583



094 004 0001 HL 550



10 cm.

20 cm.



094 004 0002 HL 551

15 cm.





**HOROZ ELECTRIC**

**Starter / Socket / Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Drywall Kit Apparatus**

**Starter S2**




- 220-240V SINGLE
- 4-6-8-15-18-22W
- 110-130V SINGLE
- 220-240V SERIES 4-22W



**Starter S10**



- 220-240V SINGLE
- 4-65W



**HOROZ ELECTRIC**

**Starter / Socket / Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Drywall Kit Apparatus**



**DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For Star & Galaksi Series



**NEW**

**CONNECTOR**

(MODEL: HL 2001)



**SOCKET**



- WATERPROOF LED STRIP (FOR HL 543L)
- INPUT VOLTAGE: 220V AC
- CABLE FEATURE: 2x0.75mm<sup>2</sup> Flexible
- ACCESSORIES: 5 pcs Silicon Clips, 1 pcs Connector, 1 pcs Middle Plug, 1 pcs End Cap, 1 pcs Pin Types: 9 mm



**ADHESIVE TAPE**

- 10 YARD
- 20 YARD



- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW

STARTER / SOCKET / CONNECTOR / UTP CAT5E / UTP CAT6E CABLE TIE / NAIL CABLE CLIP / RG6 / ADHESIVE TAPE / DRYWALL KIT APPARATUS

**UTP Cat5e**■ NETWORK CABLE  
305m ROLL**UTP Cat6**■ NETWORK CABLE  
305m ROLL**RG6**COAXIAL CABLE  
100m ROLL

6,8 PVC | 64x0,12 AL BRAIDING | AL FOIL BONDED | 4,8 FPE | 1,02 CCS

**NAIL CABLE CLIP**

CIRCLE	NAIL
4 mm	1,7 x 15
5 mm	1,7 x 15
6 mm	1,7 x 17
7 mm	1,8 x 19
8 mm	1,9 x 21
9 mm	2,0 x 22
10 mm	2,05 x 25
12 mm	2,05 x 27
14 mm	2,4 x 32
16 mm	2,5 x 35
18 mm	2,5 x 37
22 mm	2,8 x 48

**CABLE TIE**

- 2,5\*100
- 2,5\*150
- 2,5\*200
- 3,6\*150
- 3,6\*200
- 3,6\*250
- 3,6\*280
- 3,6\*300
- 3,6\*370
- 4,8\*200
- 4,8\*250
- 4,8\*300
- 4,8\*350
- 4,8\*370
- 4,8\*400
- 7,2\*300
- 7,2\*350
- 7,2\*400
- 7,2\*450
- 9\*550
- 9\*650
- 9\*750
- 9\*1020



STARTER / SOCKET / CONNECTOR / UTP CAT5E / UTP CAT6E CABLE TIE / NAIL CABLE CLIP / RG6 / ADHESIVE TAPE / DRYWALL KIT APPARATUS





106 002 0015

WIRE SPRING-2/1.5

106 002 0025

WIRE SPRING-2/2.5


106 002 0060

WIRE SPRING-2/6

- 0.2-1.5 mm<sup>2</sup> / 0.5-2.5 mm<sup>2</sup> / 1.5-6.0 mm<sup>2</sup>
- 5A/380V / 10A/380V / 25A/380V
- 2 Pole



### 2 Pole Wire Spring Connector



106 003 0015

WIRE SPRING-3/1.5

106 003 0025

WIRE SPRING-3/2.5


106 003 0060

WIRE SPRING-3/6

- 0.2-1.5 mm<sup>2</sup> / 0.5-2.5 mm<sup>2</sup> / 1.5-6.0 mm<sup>2</sup>
- 5A/380V / 10A/380V / 25A/380V
- 3 Pole



### 3 Pole Wire Spring Connector



## Terminal Block Compact Connector Wire Spring Connector




103 001 0002

2 POLE COMPACT CONNECTOR

CONNECTOR-2

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG



TERMINAL BLOCK




- 3 A, 4 mm<sup>2</sup>
- 5 A, 6 mm<sup>2</sup>
- 10 A, 10 mm<sup>2</sup>
- 30 A, 16 mm<sup>2</sup>
- 60 A, 25 mm<sup>2</sup>

103 001 0003

3 POLE COMPACT CONNECTOR

CONNECTOR-3

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG




103 001 0005

5 POLE COMPACT CONNECTOR

CONNECTOR-5

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG






104 006 0015

CABLE REEL

**REEL-15**

**15 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x15mm<sup>2</sup>
- 4 Sockets
- 15 Meters
- Overload Protection




104 006 0025

CABLE REEL

**REEL-25**

**25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x15mm<sup>2</sup>
- 4 Sockets
- 25 Meters
- Overload Protection




104 006 0050

CABLE REEL

**REEL-50**

**50 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x15mm<sup>2</sup>
- 4 Sockets
- 50 Meters
- Overload Protection




104 007 0025

CABLE REEL

**EMPTY-25**

**WITHOUT CABLE/25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x15mm<sup>2</sup>
- 4 Sockets
- 25 Meters
- Overload Protection



# KaçmazGrup

High Quality High Performance



[www.kacmazgroup.com](http://www.kacmazgroup.com)



[www.facebook.com/horozelectric](https://www.facebook.com/horozelectric)



[twitter.com/HorozElectric](https://twitter.com/HorozElectric)



[www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-](https://www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-)



[www.facebook.com/horozelectric](http://www.facebook.com/horozelectric)



[twitter.com/HorozElectric](https://twitter.com/HorozElectric)



[www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti](http://www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti)

 **Kaçmaz**Grup

[www.horozelektrik.com](http://www.horozelektrik.com)